

## AUTHOR LISTING

## A

- Abe, T., Kawakami, Y., Sugita, M., and Fukunaga, T.** Relationship between training frequency and subcutaneous and visceral fat in women, 28:1549
- Adachi, J. D.** see Dyson, K., 28:443
- Adam, J. J.** see Van Boxtel, M. P. J., 28:1357
- Adams, G. R.** see Brannon, T. A., 28:489
- Adams, W. C.** see McCann, D. J., 28:955
- Ainsworth, B. E., Stolarczyk, L. M., Heyward, V. H., Berry, C. B., Irwin, M. L., and Mussulman, L. M.** Predictive accuracy of bioimpedance in estimating fat-free mass of African-American women, 28:781
- Åkerblom, H. K.** see Raitakari, O. T., 28:1055
- Allinger, T. L., and Van Den Bogert, A. J.** Skating technique for the straights, based on the optimization of a simulation model, 28:279
- Altpeter, E.** see Gnehm, P., 28:818
- American College of Sports Medicine, and American Diabetes Association** Diabetes mellitus and exercise, 28:i(Dec)
- American Diabetes Association** see American College of Sports Medicine, 28:i(Dec)
- Anderson, B. N.** see Weidner, T. G., 28:604
- Andres, F. F.** see Bushman, B. A., 28:694
- Anselme-Poujol, F.** see Préfaut, C., 28:10
- A.Ramsey-Emrhein, J.** see Torg, J. S., 28:S256
- Arger, K. M.** see Fuller, C. M., 28:1131
- Armstrong, L. E.** see Riebe, D., 28:117
- Armstrong, L. E., Kenefick, R. W., Castellani, J. W., Riebe, D., Kavouras, S. A., Kuznicki, J. T., and Maresh, C. M.** Bioimpedance spectroscopy technique: intra-, extracellular, and total body water, 28:1657
- Arnett, D. K.** see Folsom, A. R., 28:901
- Aron, M.** see Chesler, R. M., 28:1299
- Axler, C. T., and McGill, S. M.** Low back loads over a variety of abdominal exercises: searching for the safest abdominal challenge, 28:804

## B

- Bachmann, A. W.** see Mackinnon, L. T., 28:1637
- Bailey, D. A.** see Crocker, P. R. E., 28:1344
- Bailey, D. A., Faulkner, R. A., Kimber, K., Dzus, A., and Yong-Hing, K.** Altered loading patterns and femoral bone mineral density in children with unilateral Legg-Calvé-Perthes disease, 28:1395
- Bailey, S. P.** see Davis, J. M., 28:45
- Baldwin, K. M.** see Brannon, T. A., 28:489
- Ballard, R. E.** see Lee, S. M. C., 28:892
- Bam, J., Noakes, T. D., Juritz, J., and Dennis, S. C.** Could women outrun men in ultramarathon races?, 28:244
- Bamman, M. M., Hunter, G. R., Stevens, B. R., Williams, M. E., and Greenisen, M. C.** Resistance exercise prevents plantar flexor deconditioning during bed rest, 28:1462
- Bandy, W. D.** see Grubbs, N., 28:1279
- Baracos, V. E.** see Shewchuk, L. D., 28:474
- Barber, L.** see Hubinger, L., 28:436
- Barkey, N.** see Luke, A., 28:144
- Baron, R.** see Petschnig, R., 28:3
- Bar-Or, O.** see Falk, B., 28:1124
- Barrier, J.** see Devita, P., 28:853
- Barron, B. A., Laughlin, M. H., and Gwartz, P. A.** Exercise effect on canine and miniswine cardiac catecholamines and enkephalins, 28:1338
- Barstow, T. J.** see Coppoolse, R., 28:725
- Barstow, T. J.** see Leaf, D. A., 28:1036
- Bassett, D. R., Jr., and Howley, E. T.** Maximal oxygen uptake: "classical" versus "contemporary" viewpoints, 28:591
- Bassett, D. R., Vachon, J. A., Kirkland, A. O., Howley, E. T., Duncan, G. E., and Johnson, K. R.** Energy cost of stair climbing and descending on the college alumnus questionnaire, 28:1250
- Batterham, A. M., George, K. P., and Mullineaux, D. R.** Allometric scaling of left ventricular mass by body dimensions in males and females, 28:181
- Battlé, M. C.** see Videman, T., 28:1350
- Beaufort, F.** see Pokan, R., 28:1040
- Beek, P. J.** see Toussaint, H. M., 28:1208, 28:1216
- Behm, D. G., and St-Pierre, D. M. M.** Fatigue characteristics following ankle fractures, 28:1115
- Beidleman, B. A., Muza, S. R., Rock, P. B., Fulco, C. S., Lyons, T. P., Hoyt, R. W., and Cymerman, A.** Exercise responses after altitude acclimatization are retained during reintroduction to altitude, 28:1588
- Bellach, B.-M.** see Mensink, G. B. M., 28:1192
- Belli, A.** see Messonnier, L., 28:396
- Bellinger, B., St. Clair Gibson, A., Oelofse, A., Oelofse, R., and Lambert, M.** Energy expenditure of a noncontact boxing training session compared with submaximal treadmill running, 28:1653
- Benaim, C.** see Codine, P., 28:1400
- Bencke, R.** see Meyer, K., 28:306
- Bennett, B. S.** see Lee, S. M. C., 28:892
- Bennett, J. M.** see Gore, C. J., 28:1095
- Berg, A.** see Weinstock, C., 28:345
- Berg, K. J.** see Gullestad, L., 28:496
- Bergamaschi, C. T., Boim, M. A., Moura, L. A., Piçarro, I. C., and Schor, N.** Effects of long-term training on the progression of chronic renal failure in rats, 28:169
- Berger, M. A. M., Hollander, A. P., and De Groot, G.** Technique and energy losses in front crawl swimming, 28:1491
- Berland, L.** see Hunter, G. R., 28:362
- Bernard, P. L.** see Codine, P., 28:1400
- Berry, C. B.** see Ainsworth, B. E., 28:781
- Beunen, G. P., Malina, R. M., Lefevre, J., Claessens, A. L., Renson, R., and Simons, J.** Prediction of adult stature and noninvasive assessment of biological maturation, 28:225
- Bhambhani, Y. N., Buckley, S. M., and Susaki, T.** Detection of ventilatory threshold using near infrared spectroscopy in men and women, 28:402
- Bigger, J. T., Jr.** see Goldsmith, R. L., 28:812
- Bingisser, R., Kaplan, V., Scherer, T., Russi, E. W., and Bloch, K. E.** Effect of training on repeatability of cardiopulmonary exercise performance in normal men and women, 28:1499
- Bishop, D.** see Morton, R. H., 28:833
- Bishop, D.** Reliability of a 1-h endurance performance test in trained female cyclists, 28:554
- Björnerheim, R.** see Gullestad, L., 28:496
- Black, D. M.** see Cureton, K. J., 28:259
- Blanksby, B. A.** see Green, D. J., 28:1325
- Bleiler, T. L.** see Duchman, S. M., 28:482
- Blimkie, C. J. R.** see Dyson, K., 28:443
- Bloch, K. E.** see Bingisser, R., 28:1499
- Bloomfield, D. M.** see Goldsmith, R. L., 28:812
- Bloomfield, S. A.** see Convertino, V. A., 28:187
- Bloomfield, S. A.** Changes in musculoskeletal structure and function with prolonged bed rest, 28:197
- Blumer, J. L.** see Weltman, A., 28:669
- Blundell, J. E.** see King, N. A., 28:1076
- Boim, M. A.** see Bergamaschi, C. T., 28:169
- Bolster, D. R.** see Sheffield-Moore, M., 28:755
- Bonci, C. M.** see Malina, R. M., 28:99
- Booth, J., Marino, F., and Ward, J. J.** Improved running performance in hot humid conditions following whole body precooling, 28:943
- Boreham, C. A., Twisk, J., Savage, M. J., Cran, G. W., and Strain, J. J.** Physical activity, sports participation, and risk factors in adolescents, 28:788
- Boreham, C. A. G.** see MacAuley, D., 28:1187
- Borgmann, A.** see Odland, L. M., 28:216
- Bouchard, C.** see Boulay, M. R., 28:125
- Bouchard, C.** see Clasey, J. L., 28:560
- Bouchard, C.** see Gagnon, J., 28:1448
- Bouchard, C.** see Rivera, M. A., 28:1311, 28:1444
- Boulay, M. R.** see Rivera, M. A., 28:1444
- Boulay, M. R., Simoneau, J.-A., Lortie, G., and Bouchard, C.** Monitoring high-intensity endurance exercise with heart rate and thresholds, 28:125

- Bourdin, M.** see Messonnier, L., 28:396  
**Brandt, D.** see Pokan, R., 28:1040  
**Brannon, T. A., Adams, G. R., Conniff, C. L., and Baldwin, K. M.** Effects of creatine loading and training on running performance and biochemical properties of rat skeletal muscle, 28:489  
**Braun, W. A.** see Bushman, B. A., 28:694  
**Brawley, L. R.** see Rejeski, W. J., 28:977  
**Brehm, B. A.** see Gehring, M. M., 28:1374  
**Breit, G. A., and Whalen, R. T.** Prediction of human gait parameters from temporal measures of foot-ground contact, 28:540  
**Broeder, C. E., Burhus, K. A., Svanevik, L. S., Volpe, J., and Wilmore, J. H.** Assessing body composition before and after resistance or endurance training, 28:705  
**Bronson, F. H., and Matherne, C. M.** Exposure to anabolic-androgenic steroids shortens life span of male mice, 28:615  
**Brooks, D. E.** see Taylor, D. C., 28:1619  
**Browning, C. L.** see Wallace, M. B., 28:1170  
**Bruce, S. A., Phillips, S. K., and Woledge, R. C.** Interpreting the relation between force and cross-sectional area in human muscle, 28:677  
**Bruce, S. S.** see Fuller, C. M., 28:1131  
**Brun, V.** see Codine, P., 28:1400  
**Brunsgaard, H., Hartkopp, A., Mohr, T., Konradsen, H., Heron, I., Mordhorst, C. H., and Pedersen, B. K.** *In vivo* cell-mediated immunity and vaccination response following prolonged, intense exercise, 28:1176  
**Buckley, S. M.** see Bhambhani, Y. N., 28:402  
**Burge, M.** see Ruby, B. C., 28:1160  
**Burkett, L. N.** see George, J. D., 28:415  
**Burleson, C.** see Todd, M. K., 28:700  
**Burhus, K. A.** see Broeder, C. E., 28:705  
**Bushman, B. A., Flynn, M. G., Andres, F. F., Lambert, C. P., Taylor, M. S., and Braun, W. A.** Effect of 4 wk of deep water run training on running performance, 28:694  
**Butterworth, D. E.** see Nieman, D. C., 28:1318

## C

- Caillaud, C.** see Préfaut, C., 28:10  
**Calders, P., Pannier, J.-L., Matthys, D. M., and Lacroix, E. M.** Pre-exercise branched-chain amino acid administration increases endurance performance in rats, 28:1182  
**Caldwell, G. E.** see Mahar, A. T., 28:1069  
**Calliaud, C.** see Powers, S. K., 28:1573  
**Camaione, D. N.** see Riebe, D., 28:117  
**Cantu, R. C.** Stingers, transient quadriplegia, and cervical spinal stenosis: return to play criteria, 28:233  
**Cantu, R. C.** Stingers, transient quadriplegia, and cervical spine stenosis: return to play criteria, 28:233  
**Carey, G. B.** The swine as a model for studying exercise-induced changes in lipid metabolism, 28:1437  
**Carey, M. F.** see Parkin, J. A. M., 28:220  
**Carithers, E.** see Coppoolse, R., 28:725  
**Casaburi, R.** see Coppoolse, R., 28:725  
**Castellani, J. W.** see Armstrong, L. E., 28:1657  
**Castellani, J. W.** see Riebe, D., 28:117  
**Castle, A. L.** see Grant, K. E., 28:992  
**Catcheside, P. G.** see Gore, C. J., 28:1095  
**Chagnon, M.** see Rivera, M. A., 28:1311, 28:1444  
**Chagnon, Y.** see Rivera, M. A., 28:1311  
**Chagnon, Y. C.** see Gagnon, J., 28:1448  
**Chance, B.** see Rundell, K. W., 28:248  
**Chandler, R. M.** see Grant, K. E., 28:992  
**Chaoulloff, F.** Effects of acute physical exercise on central serotonergic systems, 28:58  
**Chatard, J. C.** see Zerath, E., 28:1139  
**Chen, J.-J.** see Lu, S.-S., 28:1048  
**Chen, Y.-H.** see Lu, S.-S., 28:1048  
**Chesler, R. M., Michielli, D. W., Aron, M., and Stein, R. A.** Cardiovascular response to sudden strenuous exercise: an exercise echocardiographic study, 28:1299  
**Chew, H. G., Jr., and Segal, S. S.** Arterial morphology and blood volumes of rats following 10-14 weeks of tail suspension, 28:1304  
**Chien, C.-H.** see Lu, S.-S., 28:1048  
**Chien, E. J.** see Lu, S.-S., 28:1048  
**Chow, J. W., Darling, W. G., and Hay, J. G.** Mechanical characteristics of knee extension exercises performed on an isokinetic dynamometer, 28:794  
**Chryssos, B. E.** see Fuller, C. M., 28:1131  
**Cipriano, N.** see Melissa, L., 28:238  
**Claessens, A. L.** see Beunen, G. P., 28:225  
**Clark, B. A.** see Riebe, D., 28:117  
**Clarkson, P. M.** see Miles, M. P., 28:457  
**Clasey, J. L., Hartman, M. L., Kanaley, J., Wideman, L., Teates, C. D., Bouchard, C., and Weltman, A.** Body composition by DEXA in older adults: accuracy and influence of scan mode, 28:560  
**Clegg, L. X.** see Folsom, A. R., 28:901  
**Clifford, P. S.** see Hoffman, M. D., 28:1379  
**Cobb, F. R.** see Sullivan, M. J., 28:860  
**Codine, P., Bernard, P. L., Pocholle, M., Benaim, C., and Brun, V.** Influence of sports discipline on shoulder rotator cuff balance, 28:1400  
**Coggan, A. R.** Plasma glucose metabolism during exercise: effect of endurance training in humans, 28:620  
**Coleman, K. J., Saelens, B. E., Wiedrich-Smith, M. D., Finn, J. D., and Epstein, L. H.** Relationships between TrnTrac-R3D vectors, heart rate, and self-report in obese children, 28:1535  
**Commissaris, D. A. C. M.** see Toussaint, H. M., 28:1208, 28:1216  
**Conniff, C. L.** see Brannon, T. A., 28:489  
**Convertino, V. A.** Cardiovascular consequences of bed rest: effect on maximal oxygen uptake, 28:191  
**Convertino, V. A., Bloomfield, S. A., and Greenleaf, J. E.** An overview of the issues: physiological effects of bed rest and restricted physical activity, 28:187  
**Cook, D. B., O'Connor, P. J., Eubanks, S. A., Smith, J. C., and Lee, M.** Naturally occurring muscle pain during exercise:

- assessment and experimental evidence, 28:999  
**Coombes, J. S.** see Powers, S. K., 28:1573  
**Cooper, L. S.** see Folsom, A. R., 28:901  
**Cooper, R.** see Luke, A., 28:144  
**Coppoolse, R., Barstow, T. J., Stringer, W. W., Carithers, E., and Casaburi, R.** Effect of acute bicarbonate administration on exercise responses of COPD patients, 28:725  
**Cordova, A.** see Navas, F. J., 28:882  
**Costill, D. L.** see Sheffield-Moore, M., 28:755  
**Counil, F.-P., Varray, A., Karila, C., Hayot, M., Voisin, M., and Préfaut, C.** Wingate test performance in children with asthma: aerobic or anaerobic limitation?, 28:430  
**Coye, R. B.** see Foster, C., 28:1521  
**Coyle, E. F.** see Martin, J. C., 28:1505  
**Cran, G. W.** see Boreham, C. A., 28:788  
**Crisco, J. J., Hendee, S. P., and Greenwald, R. M.** The influence of baseball modulus and mass on head and chest impacts: a theoretical study, 28:26  
**Crocker, P. R. E., Bailey, D. A., Faulkner, R. A., Kowalski, K. C., and McGrath, R.** Measuring general levels of physical activity: preliminary evidence for the Physical Activity Questionnaire for Older Children, 28:1344  
**Crowe, A.** see Foster, C., 28:1521  
**Cureton, K. J., Sloniger, M. A., Black, D. M., McCormack, W. P., and Rowe, D. A.** Metabolic determinants of the age-related improvement in one-mile run/walk performance in youth, 28:259  
**Cymerman, A.** see Beidleman, B. A., 28:1588

## D

- Dalsky, G. P.** see Davies, M. J., 28:713  
**Da Nóbrega, A. C. L., Vaisman, M., and de Araújo, C. G. S.** Skeletal muscle function and body composition of patients with hyperthyroidism, 28:175  
**Darling, W. G.** see Chow, J. W., 28:794  
**Dasilva, S. G.** see Kang, J., 28:377  
**Davidson, C. J., Ganion, L. R., Gehlsen, G. M., Verhoestra, B., Roepke, J. E., and Sevier, T. L.** Rat tendon morphologic and functional changes resulting from soft tissue mobilization, 28:313  
**Davies, M. J., and Dalsky, G. P.** Normalizing strength for body size differences in older adults, 28:713  
**Davis, J. M.** see Nieman, D. C., 28:1318  
**Davis, J. M., and Bailey, S. P.** Possible mechanisms of central nervous system fatigue during exercise, 28:45  
**Davis, S. E.** see Weltman, A., 28:669  
**Davison, K. S.** see Dyson, K., 28:443  
**de Araújo, C. G. S.** see Da Nóbrega, A. C. L., 28:175  
**De Courten, M. P.** see Fitzgerald, S. J., 28:910  
**De Crée, C., Van Kranenburg, G., Geurten, P., Fujimura, Y., and Keizer, H. A.** Exercise-induced changes in enzymatic O-methylation of catecholestrogens by erythrocytes of eumenorrheic women, 28:1580

- De Groot, G.** see Berger, M. A. M., 28:1491
- De Koning, J. J., Nigg, B. M., and Gerritsen, K. G. M.** Assessment of the mechanical properties of area-elastic sport surfaces with video analysis, 28:1664
- Del Corral, P.** see Mahon, A. D., 28:1332
- Delp, M. D., and Laughlin, M. H.** Time course of enhanced endothelium-mediated dilation in aorta of trained rats, 28:1454
- Demirel, H. A.** see Powers, S. K., 28:1573
- Denardin, E.** see Venkatraman, J. T., 28:333
- Dennis, S. C.** see Barn, J., 28:244
- Derrick, T. R.** see Mahar, A. T., 28:1069
- Deuster, P. A.** see Lockwood, P. A., 28:1513
- Deuster, P. A.** see Zelazowska, E. B., 28:467
- Devita, P., Hortobagyi, T., Barrier, J., Torry, M., Glover, K. L., Speroni, D. L., Money, J., and Mahar, M. T.** Gait adaptations before and after anterior cruciate ligament reconstruction surgery, 28:853
- Dick, E. C.** see Weidner, T. G., 28:604
- Dillman, C. J.** see Hintermeister, R. A., 28:548
- Dionne, F. T.** see Gagnon, J., 28:1448
- Dionne, F. T.** see Rivera, M. A., 28:1311, 28:1444
- Disalvo, D.** see Wilber, R. L., 28:1090
- Dishman, R. K.** Brain monoamines, exercise, and behavioral stress: animal models, 28:63
- Dishman, R. K.** Introduction: exercise, brain, and behavior, 28:37
- Djoseland, O.** see Gullestad, L., 28:496
- Donovan, C. M., and Sumida, K. D.** Training enhanced hepatic gluconeogenesis: the importance for glucose homeostasis during exercise, 28:628
- Dook, J. E., James, C., Henderson, N. K., and Price, R. I.** Exercise and bone mineral density in mature female athletes, 28:291
- Dotan, R.** see Falk, B., 28:1124
- Douce, P.** see Zerath, E., 28:1139
- Dowling, J. J.** see Zehr, E. P., 28:1366
- Downs, S. B.** see Rintala, P., 28:133
- Dramiga, S. A., and Rubal, B. J.** Rehabilitation following redo revascularization and repaired sternotomy, 28:427
- Driver, H. S.** see Taylor, S. R., 28:688
- Drummer, E. M.** see Fuller, C. M., 28:1131
- Duchman, S. M., Ryan, A. J., Schedl, H. P., Summers, R. W., Bleiler, T. L., and Gisolfi, C. V.** Upper limit for intestinal absorption of a dilute glucose solution in men at rest, 28:482
- Dufour, D. L.** see Spurr, G. B., 28:1255
- Duly, E.** see MacAuley, D., 28:1187
- Dumit, M.** see Foster, C., 28:1521
- Duncan, G. E.** see Bassett, D. R., 28:1250
- Duncan, G. E.** see Mahon, A. D., 28:1332
- Duncan, G. E., Howley, E. T., and Johnson, B. N.** Applicability of  $\dot{V}O_{2max}$  criteria: discontinuous versus continuous protocols, 28:273
- Duncan, J. A.** see Kowalk, D. L., 28:1406
- Dunn, J. M.** see Frey, G. C., 28:451
- Dürr, H.** see Huonker, M., 28:1554
- Duscha, B. D.** see Sullivan, M. J., 28:860
- Dyson, K., Blimkie, C. J. R., Davison, K. S., Webber, C. E., and Adachi, J. D.** Gymnastic training and bone density in pre-adolescent females, 28:443
- Dzus, A.** see Bailey, D. A., 28:1395

## E

- Ebersole, K. T.** see Eckerson, J. M., 28:962
- Echegaray, M. E.** see Riebe, D., 28:117
- Eckerson, J. M., Evetovich, T. K., Stout, J. R., Housh, T. J., Johnson, G. O., Housh, D. J., Ebersole, K. T., and Smith, D. B.** Validity of bioelectrical impedance equations for estimating fat-free weight in high school female gymnasts, 28:962
- Eliakim, A.** see Falk, B., 28:1124
- Elorriaga, A.** see Odiand, L. M., 28:216
- Emeson, E. E.** see Palmer, W. K., 28:1416
- Epstein, L. H.** see Coleman, K. J., 28:1535
- Erickson, J. C.** see Isear, J. A., Jr., 28:532
- Estruch, A.** see Garrido, E., 28:937
- Ettinger, W.** see Rejeski, W. J., 28:977
- Eubanks, S. A.** see Cook, D. B., 28:999
- Evans, A. E.** see MacAuley, D., 28:1187
- Evans, W. J.** see Fielding, R. A., 28:1109
- Evetovich, T. K.** see Eckerson, J. M., 28:962

## F

- Fabsitz, R.** see Lauderdale, D. S., 28:1062
- Fagard, R. H.** see Pardaens, K., 28:733
- Fagoaga, O. R.** see Nieman, D. C., 28:1318
- Falk, B., Eliakim, A., Dotan, R., Liebermann, D. G., Regev, R., and Bar-Or, O.** Birth weight and physical ability in 5- to 8-year-old healthy children born prematurely, 28:1124
- Farkas, G. A.** see Poole, D. C., 28:738
- Faulkner, R. A.** see Bailey, D. A., 28:1395
- Faulkner, R. A.** see Crocker, P. R. E., 28:1344
- Febbraio, M. A.** see Parkin, J. A. M., 28:220
- Ferrone, L.** see Rowland, T., 28:1146
- Field, C. J.** see Shewchuk, L. D., 28:474
- Fielding, R. A., Frontera, W. R., Hughes, V. A., Fisher, E. C., and Evans, W. J.** The reproducibility of the Bruce protocol exercise test for the determination of aerobic capacity in older women, 28:1109
- Finkelhor, R. S.** see Lamont, L. S., 28:769
- Finn, J. D.** see Coleman, K. J., 28:1535
- Fisher, E. C.** see Fielding, R. A., 28:1109
- Fisher, L. D.** see Videman, T., 28:1350
- FitzGerald, S. J.** see Pereira, M. A., 28:S3-S20
- Fitzgerald, S. J., Kriska, A. M., Pereira, M. A., and De Courten, M. P.** Associations among physical activity, television watching, and obesity in adult Pima Indians, 28:910
- Fletcher, L.** see Powers, S. K., 28:1573
- Flynn, M. G.** see Bushman, B. A., 28:694
- Folsom, A. R., Arnett, D. K., Hutchinson, R. G., Liao, F., Clegg, L. X., and Cooper, L. S.** Physical activity and incidence of coronary heart disease in middle-aged

- women and men, 28:901
- Ford, S. R.** see Lee, S. M. C., 28:892
- Fortney, S. M.** see Lee, S. M. C., 28:892
- Foster, C., Coyne, R. B., Crowe, A., Dumit, M., Lettau, S., Teske, H. M., and Volkert, P.** Comparison of free range and graded exercise testing, 28:1521
- Foster, C., Gal, R. A., Murphy, P., Port, S. C., and Schmidt, D. H.** Left ventricular function during exercise testing and training, 28:297
- Fox, S. D.** see Rintala, P., 28:133
- French, S. N.** see Gore, C. J., 28:1095
- Freund, H.** see Messonnier, L., 28:396
- Frey, G. C., McCubbin, J. A., Dunn, J. M., and Mazzeo, R. S.** Plasma catecholamine and lactate relationship during graded exercise in men with spinal cord injury, 28:451
- Fricke, P. A.** see Hickey, G. J., 28:1567
- Frontera, W. R.** see Fielding, R. A., 28:1109
- Fruhwald, F. M.** see Pokan, R., 28:1040
- Fujimura, Y.** see De Crée, C., 28:1580
- Fukunaga, T.** see Abe, T., 28:1549
- Fulco, C. S.** see Beidleman, B. A., 28:1588
- Fuller, C. M., McNulty, C. M., Spring, D. A., Arger, K. M., Bruce, S. S., Chrysos, B. E., Drummer, E. M., Kelley, F. P., Newmark, M. J., and Whipple, G. H.** Prospective screening of 5,615 high school athletes for risk of sudden cardiac death, 28:1131

## G

- Gaesser, G. A.** see Weltman, A., 28:669
- Gagnon, J.** see Rivera, M. A., 28:1311, 28:1444
- Gagnon, J., Ho-Kim, M.-A., Chagnon, Y. C., Pérusse, L., Dionne, F. T., Leon, A. S., Rao, D. C., Skinner, J. S., Wilmore, J. H., and Bouchard, C.** Absence of linkage between  $\dot{V}O_{2max}$  and its response to training with markers spanning chromosome 22, 28:1448
- Gal, R. A.** see Foster, C., 28:297
- Gallagher, D.** see Nuñez, C., 28:524
- Galloway, S. D. R., and Maughan, R. J.** Effects of ambient temperature on the capacity to perform prolonged cycle exercise in man, 28:1240
- Ganion, L. R.** see Davidson, C. J., 28:313
- Garcia-Webb, P.** see Rowbottom, D. G., 28:1233
- Gardner, A. W.** see Wornack, C. J., 28:1286
- Garner, E. B.** see Nieman, D. C., 28:1318
- Garrido, E., Rodas, G., Javierre, C., Segura, R., Estruch, A., and Ventura, J. L.** Cardiorespiratory response to exercise in elite Sherpa climbers transferred to sea level, 28:937
- Gasser, B. R.** see Pokan, R., 28:1040
- Gastaldelli, A.** see Trappe, T. A., 28:950
- Gastin, P. G.** Metabolic profile of high intensity intermittent exercises, 28:1274
- Gaughan, J. P.** see Libonati, J. R., 28:509
- Gavhed, D.** see Larsson, K., 28:1631
- Gehlsen, G. M.** see Davidson, C. J., 28:313
- Gehring, M. M., Keller, B. A., and Brehm, B. A.** Water running with and



without a flotation vest in competitive and recreational runners, 28:1374

**George, J. D., Stone, W. J., and Burkett, L. N.** Non-exercise  $\dot{V}O_{2\max}$  estimation for physically active college students, 28:415

**George, K. P.** see Batterham, A. M., 28:181

**Gerbace, M.** see Pichard, C., 28:1527

**Gerritsen, K. G. M.** see De Koning, J. J., 28:1664

**Geurten, P.** see De Créé, C., 28:1580

**Gfell, L. E.** see Gregory, R. L., 28:1596

**Gibbons, L. E.** see Videman, T., 28:1350

**Gill, K.** see Videman, T., 28:1350

**Gillquist, J.** see Vergis, A., 28:1561

**Gisolfi, C. V.** see Duchman, S. M., 28:482

**Gladden, L. B.** see Smith, E. W., 28:654

**Gledhill, N.** see Krip, B., 28:1469

**Glover, K. L.** see Devita, P., 28:853

**Gnehm, P., Reichenbach, S., Altpeter, E., Widmer, H., and Hoppeler, H.**

Influence of different racing positions on metabolic cost in elite cyclists, 28:818

**Gold, P. W.** see Zelazowska, E. B., 28:467

**Goldberg, J.** see Lauderdale, D. S., 28:1062

**Goldfarb, A. H.** see Todd, M. K., 28:700

**Goldsmith, R. L., Bigger, J. T., Jr., Bloomfield, D. M., and Steinman, R. C.**

Physical fitness as a determinant of vagal modulation, 28:812

**Goodman, C.** see Rogers, G., 28:1477

**Gordon, R. D.** see Mackinnon, L. T., 28:1637

**Gore, C. J., Catcheside, P. G., French, S. N., Bennett, J. M., and Laforgia, J.**

Automated  $\dot{V}O_{2\max}$  calibrator for open-circuit indirect calorimetry systems, 28:1095

**Goss, F. L.** see Kang, J., 28:377

**Gow, A.** see Libonati, J. R., 28:509

**Graham, T. E., Turcotte, L. P., Kiens, B., and Richter, E. A.**

Effect of endurance training on ammonia and amino acid metabolism in humans, 28:646

**Grant, K. E., Chandler, R. M., Castle, A. L., and Ivy, J. L.**

Chromium and exercise training: effect on obese women, 28:992

**Green, D. J., O'Driscoll, J. G., Blanksby, B. A., and Taylor, R. R.**

Effect of casting on forearm resistance vessels in young men, 28:1325

**Green, H. J.** see Melissa, L., 28:238

**Green, S.** see Morton, R. H., 28:833

**Greene, E. R.** see Robergs, R. A., 28:1021

**Greenisen, M. C.** see Bamman, M. M., 28:1462

**Greenleaf, J. E.** see Convertino, V. A., 28:187

**Greenleaf, J. E.** Intensive exercise training during bed rest attenuates deconditioning, 28:207

**Greenwald, R. M.** see Crisco, J. J., 28:26

**Gregg, E. W.** see Pereira, M. A., 28:S3-S20

**Gregory, R. L., Wallace, J. P., Gfell, L. E., Marks, J., and King, B. A.**

Effect of exercise on milk immunoglobulin A, 28:1596

**Gremion, G.** see Pichard, C., 28:1527

**Griffin, S. E., Robergs, R. A., and Heyward, V. H.**

Blood pressure measurement during exercise: a review, 28:149

**Grimshaw, P. N.** see Salo, A., 28:231, 28:383

**Grubbs, N., Nelson, R. T., and Bandy, W. D.**

Predictive validity of an injury score among high school basketball players, 28:1279

**Guezennec, C. Y.** see Zerath, E., 28:1139

**Guilliams, M. E.** see Bamman, M. M., 28:1462

**Gullestad, L., Myers, J., Bjornerheim, R., Berg, K. J., Djoseand, O., Hall, C., Lund, K., Kjekshus, J., and Simonsen, S.**

Gas exchange and neurohumoral response to exercise: influence of the exercise protocol, 28:496

**Guskiewicz, K. M., Riemann, B. L., Perrin, D. H., and Nashner, L. M.**

Alternative approaches to the assessment of mild head injury in athletes, 28:S213

**Guskiewicz, K. M., Riemann, B. L., Perrin, D. H., and Nashner, L. M.**

Alternative approach to the assessment of mild head injury in athletes, 28:S213

**Gwitz, P. A.** see Barron, B. A., 28:1338

## H

**Haid, C.** see Sorichter, S., 28:1646

**Hajric, R.** see Meyer, K., 28:306

**Hall, C.** see Gullestad, L., 28:496

**Hamill, J.** see Mahar, A. T., 28:1069

**Hamilton, M.** see Leaf, D. A., 28:1036

**Hamra, M., and McNeil, R. S.**

Accentuated antagonism in canine subendocardium is not altered by chronic exercise, 28:1013

**Hargens, A. R.** see Lee, S. M. C., 28:892

**Harnischmacher, R.** see Weinstock, C., 28:345

**Harris, W. S.** see Ziogas, G. G., 28:986

**Hartkopp, A.** see Bruunsgaard, H., 28:1176

**Hartman, M. L.** see Clasey, J. L., 28:560

**Hartman, M. L.** see Weltman, A., 28:669

**Haught, T. A.** see Spurr, G. B., 28:1255

**Hawley, J. A.** see Palmer, G. S., 28:684

**Hay, J. G.** see Chow, J. W., 28:794

**Hayot, M.** see Counil, F.-P., 28:430

**Hebert, J. R.** see Matthews, C. E., 28:1199

**Heerstrass, D. W.** see Mensink, G. B. M., 28:1192

**Hefner, C. A.** see Libonati, J. R., 28:509

**Heil, D. P.** Body mass scaling of peak oxygen uptake in 20- to 79-yr-old adults, 28:1602

**Hendee, S. P.** see Crisco, J. J., 28:26

**Henderson, N. K.** see Dook, J. E., 28:291

**Henson, D. A.** see Nieman, D. C., 28:1318

**Heron, I.** see Bruunsgaard, H., 28:1176

**Herring, S. A.** see Young, J. L., 28:S222, 28:S222

**Heymsfield, S. B.** see Nufiez, C., 28:524

**Heymsfield, S. B.** see Tan, Y. X., 28:1269

**Heyward, V. H.** see Ainsworth, B. E., 28:781

**Heyward, V. H.** see Griffin, S. E., 28:149

**Heyward, V. H.** see Kravitz, L., 28:1028

**Heyward, V. H.** see Wagner, D. R., 28:969

**Hickey, G. J., Fricker, P. A., and McDonald, W. A.**

Injuries to elite rowers over a 10-yr period, 28:1567

**Hill, D. W., and Rowell, A. L.** Responses to exercise at the velocity associated with  $\dot{V}O_{2\max}$ , 28:113

**Hill, J. P.** see Hortobágyi, T., 28:107

**Hindriks, M.** see Vergis, A., 28:1561

**Hintermeister, R. A., O'Connor, D. D., Lange, G. W., Dillman, C. J., and Steadman, J. R.**

Muscle activity in wedge, parallel, and giant slalom skiing, 28:548

**Hoffman, M. D., Clifford, P. S., and Varkey, B.**

Acute effects of ski waxing on pulmonary function, 28:1379

**Hofmann, P.** see Pokan, R., 28:1040

**Hofmann, P., Pokan, R., Von Duvillard, S. P., Seibert, F. J., Zweiker, R., and Schmid, P.**

Heart rate performance curve during incremental cycle ergometer exercise in healthy young male subjects, 28:762

**Ho-Kim, M.-A.** see Gagnon, J., 28:1448

**Holbert, K. E.** see Thomas, K. T., 28:82, 28:90

**Hollander, A. P.** see Berger, M. A. M., 28:1491

**Holmér, I.** see Larsson, K., 28:1631

**Holy, X.** see Zerath, E., 28:1139

**Hooper, S. L.** see Mackinnon, L. T., 28:1637

**Hoozemans, M. J. M.** see Toussaint, H. M., 28:1208

**Hopkins, W. G.** see Stewart, A. M., 28:1389

**Hoppeler, H.** see Gnehm, P., 28:818

**Horswill, C. A., Zipf, W. B., and Kien, C. L.**

Measuring energy costs of leisure activity in adolescents using a  $\text{CO}_2$  breath test, 28:1263

**Hortobágyi, T.** see Devita, P., 28:853

**Hortobágyi, T., Hill, J. P., and Lambert, N. J.**

Greater cross education following training with muscle lengthening than shortening, 28:107

**Horvath, P.** see Leddy, J., 28:17

**Horvath, P. J.** see Venkatraman, J. T., 28:333

**Hou, J.-W.** see Jeng, S.-F., 28:370

**Houser, S. R.** see Libonati, J. R., 28:509

**Housh, D. J.** see Eckerson, J. M., 28:962

**Housh, T. J.** see Eckerson, J. M., 28:962

**Houx, P. J.** see Van Bortel, M. P. J., 28:1357

**Howard, A.** see Hubinger, L., 28:436

**Howe, C. A.** see Mahon, A. D., 28:1332

**Howley, E. T.** see Bassett, D. R., 28:1250

**Howley, E. T.** see Bassett, D. R., Jr., 28:591

**Howley, E. T.** see Duncan, G. E., 28:273

**Hoyt, R. W.** see Beidleman, B. A., 28:1588

**Huang, S.-W.** see Lu, S.-S., 28:1048

**Hubinger, L.** see Mackinnon, L. T., 28:1429

**Hubinger, L., Mackinnon, L. T., Barber, L., McCosker, J., Howard, A., and Lepre, F.**

Acute effects of treadmill running on lipoprotein(a) levels in males and females, 28:436

**Hudson, T. L.** see Robergs, R. A., 28:1021

**Hughes, V. A.** see Fielding, R. A., 28:1109

**Hunter, G. R.** see Bamman, M. M., 28:1462

**Hunter, G. R., Kekes-Szabo, T., Snyder, S. W., Nicholson, C., Nyikos, I., and Berland, L.**

Fat distribution, physical



activity, and cardiovascular risk factors, 28:362

Huonker, M., Schmidt-Trucks, A., Sorichter, S., Irmer, M., Dürr, H., Lehmann, M., and Keul, J. Highland mountain hiking and coronary artery disease exercise tolerance and effects on left ventricular function mountain hiking and CAD, 28:1554

Hutchinson, R. G. see Folsom, A. R., 28:901

## I

Icenogle, M. V. see Robergs, R. A., 28:1021

Ide, K. see Tanaka, H., 28:503

Irisawa, K. see Tabata, I., 28:390

Irmer, M. see Huonker, M., 28:1554

Irwin, M. L. see Ainsworth, B. E., 28:781

Isear, J. A., Jr., Erickson, J. C., and Worrell, T. W. EMG analysis of lower extremity muscle recruitment patterns during an unloaded squat, 28:532

Ivy, J. L. see Grant, K. E., 28:992

## J

James, C. see Dook, J. E., 28:291

Jamnik, V. see Krip, B., 28:1469

Javierre, C. see Garrido, E., 28:937

Jeng, S.-F., Liao, H.-F., Lai, J.-S., and Hou, J.-W. Optimization of walking in children, 28:370

Jenkins, D. G. see Morton, R. H., 28:833

Johnson, B. N. see Duncan, G. E., 28:273

Johnson, G. O. see Eckerson, J. M., 28:962

Johnson, K. R. see Bassett, D. R., 28:1250

Johnston, T. P. see Palmer, W. K., 28:1416

Jolles, J. see Van Boxtel, M. P. J., 28:1357

Jones, S. see Mackinnon, L. T., 28:1637

Jorfelt, L. see Larsson, K., 28:1631

Joswiak, M. L. see Pereira, M. A., 28:S3-S20

Jozsi, A. C. see Trappe, T. A., 28:950

Juritz, J. see Barn, J., 28:244

## K

Kalhan, S. C. see Lamont, L. S., 28:769

Kaminsky, L. A. see Weidner, T. G., 28:804

Kanaley, J. see Clasey, J. L., 28:560

Kang, J., Robertson, R. J., Goss, F. L., Dasilva, S. G., Suminski, R. R., Utter, A. C., Zoeller, R. F., and Metz, K. F. Metabolic efficiency during arm and leg exercise at the same relative intensities, 28:377

Kanter, L. see Simpson, K. J., 28:916

Kaplan, V. see Bingisser, R., 28:1499

Karila, C. see Counil, F.-P., 28:430

Kastello, G. K. see Sothman, M., 28:39

Katzel, L. I. see Wornack, C. J., 28:1286

Katzmarzyk, P. T. see Malina, R. M., 28:99

Kavouras, S. A. see Armstrong, L. E., 28:1657

Kawabata, T. see Yoshida, T., 28:867

Kawakami, Y. see Abe, T., 28:1549

Kearney, J. T. see Wilber, R. L., 28:1090

Keast, D. see Rowbottom, D. G., 28:1233

Keizer, H. A. see De Crée, C., 28:1580

Kekes-Szabo, T. see Hunter, G. R., 28:362

Keller, B. A. see Gehring, M. M., 28:1374

Keller, C. S. see Thomas, K. T., 28:82, 28:90

Kelley, F. P. see Fuller, C. M., 28:1131

Kenefick, R. W. see Armstrong, L. E., 28:1657

Kenefick, R. W. see Riebe, D., 28:117

Kenney, W. L. see Minson, C. T., 28:75

Kent-Braun, J. A. see Ng, A. V., 28:517

Kerr, C. G. see Sheffield-Moore, M., 28:755

Keul, J. see Huonker, M., 28:1554

Keul, J. see Rivera, M. A., 28:1444

Keul, J. see Weinstock, C., 28:345

Kien, C. L. see Horswill, C. A., 28:1263

Kiens, B. see Graham, T. E., 28:646

Kiens, B. Effect of endurance training on fatty acid metabolism: local adaptations, 28:640

Kikuzato, S. see Lim, K., 28:355

Kimber, K. see Bailey, D. A., 28:1395

King, B. A. see Gregory, R. L., 28:1596

King, N. A., Tremblay, A., and Blundell, J. E. Effects of exercise on appetite control: implications for energy balance, 28:1076

Kirkland, A. O. see Bassett, D. R., 28:1250

Kiyonaga, A. see Lim, K., 28:355

Kiyonaga, A. see Tanaka, H., 28:503

Kjekshus, J. see Gullestad, L., 28:496

Klein, R. M., Potteiger, J. A., and Zebas, C. J. Metabolic and biomechanical variables of two incline conditions during distance running, 28:1625

Klein, W. see Pokan, R., 28:1040

Kleinman, M. T. see Leaf, D. A., 28:1036

Klitgaard, H. see Sullivan, M. J., 28:860

Kocina, P. S. see Wagner, D. R., 28:969

Koivisto, V. A. see Tuominen, J. A., 28:874

Koller, A. see Sorichter, S., 28:1646

König, D. see Weinstock, C., 28:345

Konradsen, H. see Bruunsgaard, H., 28:1176

Koskenvuo, M. see Videman, T., 28:1350

Kouzaki, M. see Tabata, I., 28:390

Kowalk, D. L., Duncan, J. A., McCue, F. C., III, and Vaughan, C. L. Anterior cruciate ligament reconstruction and joint dynamics during stair climbing, 28:1406

Kowalski, K. C. see Crocker, P. R. E., 28:1344

Krahenbuhl, G. S. see Williams, T. J., 28:1609

Kraus, W. E. see Sullivan, M. J., 28:860

Kravitz, L., Robergs, R. A., Heyward, V. H., Wagner, D. R., and Powers, K. Exercise mode and gender comparisons of energy expenditure at self-selected intensities, 28:1028

Kremer, D. E. see Smith, E. W., 28:654

Kriegstein, G. K. see Krott, R., 28:850

Krip, B., Gledhill, N., Jamnik, V., and Warburton, D. Effect of alterations in blood volume on cardiac function during maximal exercise, 28:1469

Kriska, A. M. see Fitzgerald, S. J., 28:910

Krott, R., Mietz, H., and Kriegstein, G. K. Orbital emphysema as a complication of bungee jumping, 28:850

Kuznicki, J. T. see Armstrong, L. E., 28:1657

Kyle, U. G. see Pichard, C., 28:1527

## L

Lacour, J.-R. see Messonnier, L., 28:396

Lacroix, E. M. see Calders, P., 28:1182

Laforgia, J. see Gore, C. J., 28:1095

Lai, J.-S. see Jeng, S.-F., 28:370

Laird, J. E. see Montain, S. J., 28:661

Lambert, C. P. see Bushman, B. A., 28:694

Lambert, M. see Bellinger, B., 28:1653

Lambert, N. J. see Hortobágyi, T., 28:107

Lamont, L. S., Romito, R. A., Finkelhor, R. S., and Kalhan, S. C.  $\beta_1$ -adrenoreceptors regulate resting metabolic rate, 28:769

Lange, G. W. see Hintermeister, R. A., 28:548

Larsson, K., Gavhed, D., Larsson, L., Holmér, I., Jorfelt, L., and Ohlén, P. Influence of a  $\beta_2$ -agonist on physical performance at low temperature in elite athletes, 28:1631

Larsson, L. see Larsson, K., 28:1631

Latzka, W. A. see Montain, S. J., 28:661

Lau, C.-P. see Lu, S.-S., 28:1048

Lauderdale, D. S., Fabsitz, R., Meyer, J. M., Sholinsky, P., Ramakrishnan, V., and Goldberg, J. Familial determinants of moderate and intense physical activity: a twin study, 28:1062

Laughlin, M. H. see Barron, B. A., 28:1338

Laughlin, M. H. see Delp, M. D., 28:1454

Leaf, D. A., Kleinman, M. T., Hamilton, M., and Barstow, T. J. The effect of exercise intensity on lipid peroxidation, 28:1036

Leaf, D. A., Parker, D. L., and Schaad, D. Changes in  $VO_{2max}$ , physical activity, and body fat with chronic exercise: effects on plasma lipids, 28:1152

Leddy, J., Horvath, P., Rowland, J., and Pendergast, D. Effect of a high or a low fat diet on cardiovascular risk factors in male and female runners, 28:17

Lee, M. see Cook, D. B., 28:999

Lee, M. see Shin, K., 28:1482

Lee, S. M. C., Bennett, B. S., Hargens, A. R., Watenpaugh, D. E., Ballard, R. E., Murthy, G., Ford, S. R., and Fortney, S. M. Upright exercise or supine lower body negative pressure exercise maintains exercise responses after bed rest, 28:892

Lefevre, J. see Beunen, G. P., 28:225

Lehmann, M. see Huonker, M., 28:1554

Lehmann, M. see Meyer, K., 28:306

Leon, A. S. see Gagnon, J., 28:1448

Leon, A. S. see Rivera, M. A., 28:1311

Lepre, F. see Hubinger, L., 28:436

Lepre, F. see Mackinnon, L. T., 28:1429

Lettau, S. see Foster, C., 28:1521

Leutholtz, B. C. see Swain, D. P., 28:410

Li, Y. see Miles, M. P., 28:457

Liao, F. see Folsom, A. R., 28:901

Liao, H.-F. see Jeng, S.-F., 28:370

Libonati, J. R., Gaughan, J. P., Hefner, C. A., Gow, A., Paolone, A. M., and

- Houser, S. R.** Reduced ischemia and reperfusion injury following exercise training, 28:509
- Liebermann, D. G.** see Falk, B., 28:1124
- Lim, K., Yoshioka, M., Kikuzato, S., Kiyonaga, A., Tanaka, H., Shindo, M., and Suzuki, M.** Dietary red pepper ingestion increases carbohydrate oxidation at rest and during exercise in runners, 28:355
- Lockwood, P. A., Yoder, J. E., and Deuster, P. A.** Comparison and cross-validation of cycle ergometry estimates of  $\dot{V}O_{2max}$ , 28:1513
- Londeree, B. R.** Effect of training on lactate/ventilatory thresholds: a meta-analysis, 28:837
- Londeree, B. R., Moffitt-Gerstenberger, J., Padfield, J. A., and Lottmann, D.** Oxygen consumption of cycle ergometry is nonlinearly related to work rate and pedal rate, 28:775
- Lortie, G.** see Boulay, M. R., 28:125
- Lottmann, D.** see Londeree, B. R., 28:775
- Lu, C.-C.** see Lu, S.-S., 28:1048
- Lu, S.-S., Lau, C.-P., Tung, Y.-F., Huang, S.-W., Chen, Y.-H., Shih, H.-C., Tsai, S.-C., Lu, C.-C., Wang, S.-W., Chen, J.-J., Chien, E. J., Chien, C.-H., and Wang, P. S.** Lactate and the effects of exercise on testosterone secretion: evidence for the involvement of a cAMP-mediated mechanism, 28:1048
- Luke, A., Maki, K. C., Barkey, N., Cooper, R., and McGee, D.** Simultaneous monitoring of heart rate and motion to assess energy expenditure, 28:144
- Lund, K.** see Gullestad, L., 28:496
- Lyons, T. P.** see Beidleman, B. A., 28:1588

## M

- MacAuley, D., McCrum, E. E., Stott, G., Evans, A. E., Duly, E., Trinick, T. R., Sweeney, K., and Boreham, C. A. G.** Physical fitness, lipids, and apolipoproteins in the Northern Ireland Health and Activity Survey, 28:1187
- MacDougall, J. D.** see Melissa, L., 28:238
- MacDougall, J. D.** see Odland, L. M., 28:216
- Mackinnon, L. T.** see Hubinger, L., 28:436
- Mackinnon, L. T., Hooper, S. L., Jones, S., Gordon, R. D., and Bachmann, A. W.** Hormonal, immunological and hematological responses to intensified training in elite swimmers, 28:1637
- Mackinnon, L. T., Hubinger, L., and Lepre, F.** Effects of physical activity and diet on lipoprotein(a), 28:1429
- Mader, R.** see Shoemaker, J. K., 28:610
- Mahar, A. T., Derrick, T. R., Hamill, J., and Caldwell, G. E.** Impact shock and attenuation during in-line skating, 28:1069
- Mahar, M. T.** see Devita, P., 28:853
- Mahon, A. D., Duncan, G. E., Howe, C. A., and Del Corral, P.** Blood lactate and perceived exertion relative to ventilatory threshold: boys versus men, 28:1332
- Mair, J.** see Sorichter, S., 28:1646
- Maki, K. C.** see Luke, A., 28:144
- Malanga, G. A.** The diagnosis and treatment of cervical radiculopathy, 28:S236, 28:S236
- Malina, R. M.** see Beunen, G. P., 28:225
- Malina, R. M., Katzarzyk, P. T., Bonci, C. M., Ryan, R. C., and Wellens, R. E.** Family size and age at menarche in athletes, 28:99
- Manninen, H.** see Videman, T., 28:1350
- Marar, L.** see Salo, A., 28:231
- Maresh, C. M.** see Armstrong, L. E., 28:1657
- Maresh, C. M.** see Riebe, D., 28:117
- Marino, F.** see Booth, J., 28:943
- Marks, J.** see Gregory, R. L., 28:1596
- Marsh, A. P., and Martin, P. E.** Effect of cycling experience, aerobic power, and power output on preferred and most economical cycling cadences, 28:1225
- Martin, I. K.** see Parkin, J. A. M., 28:220
- Martin, J. C., Wagner, B. M., and Coyle, E. F.** Inertial-load method determines maximal cycling power in a single exercise bout, 28:1505
- Martin, J. F.** see Navas, F. J., 28:882
- Martin, P. E.** see Marsh, A. P., 28:1225
- Martin, W. H., III** Effect of endurance training on fatty acid metabolism during whole body exercise, 28:635
- Matherne, C. M.** see Bronson, F. H., 28:615
- Matthews, C. E., Hebert, J. R., Ockene, I. S., Saperia, G., and Merriam, P. A.** Relationship between leisure-time physical activity and selected dietary variables in the Worcester Area Trial for Counseling in Hyperlipidemia, 28:1199
- Matthys, D. M.** see Calders, P., 28:1182
- Maughan, R. J.** see Galloway, S. D. R., 28:1240
- Mazzeo, R. S.** see Frey, G. C., 28:451
- McCann, D. J., and Adams, W. C.** Wet bulb globe temperature index and performance in competitive distance runners, 28:955
- McCormack, W. P.** see Cureton, K. J., 28:259
- McCosker, J.** see Hubinger, L., 28:436
- McCrary, P. R.** Were you knocked out? a team physician's approach to initial concussion management, 28:S207, 28:S207
- McCrum, E. E.** see MacAuley, D., 28:1187
- McCubbin, J. A.** see Frey, G. C., 28:451
- McCubbin, J. A.** see Rintala, P., 28:133
- McCue, F. C., III** see Kowalk, D. L., 28:1406
- McDonald, W. A.** see Hickey, G. J., 28:1567
- McFarland, C.** see Ramirez, A., 28:326
- McGee, D.** see Luke, A., 28:144
- McGill, S. M.** see Axler, C. T., 28:804
- McGrath, R.** see Crocker, P. R. E., 28:1344
- McNeil, R. S.** see Hamra, M., 28:1013
- McNulty, C. M.** see Fuller, C. M., 28:1131
- Melissa, L., MacDougall, J. D., Tarnopolsky, M. A., Cipriano, N., and Green, H. J.** Skeletal muscle adaptations to training under normobaric hypoxic versus normoxic conditions, 28:238
- Mensink, G. B. M., Heerstrass, D. W., Neppelenbroek, S. E., Schuit, A. J., and Bellach, B.-M.** Intensity, duration, and frequency of physical activity and coronary risk factors, 28:1192
- Mermier, C.** see Ruby, B. C., 28:1160
- Merriam, P. A.** see Matthews, C. E., 28:1199
- Messonnier, L., Freund, H., Bourdin, M., Belli, A., and Lacour, J.-R.** Lactate exchange and removal abilities in rowing performance, 28:396
- Metz, K. F.** see Kang, J., 28:377
- Meyer, J. M.** see Lauderdale, D. S., 28:1062
- Meyer, K., Samek, L., Schwaibold, M., Westbrook, S., Hajric, R., Beneke, R., Lehmann, M., and Roskamm, H.** Interval training in patients with severe chronic heart failure: analysis and recommendations for exercise procedures, 28:306
- Michielli, D. W.** see Chesler, R. M., 28:1299
- Mietz, H.** see Krott, R., 28:850
- Miles, M. P., Li, Y., Rinard, J. P., Clarkson, P. M., and Williamson, J. W.** Eccentric exercise augments the cardiovascular response to static exercise, 28:457
- Mills, B. D.** see Wallace, M. B., 28:1170
- Minamitani, H.** see Shin, K., 28:1482
- Minson, C. T., and Kenney, W. L.** Age and cardiac output during cycle exercise in thermoneutral and warm environments, 28:75
- Miyachi, M.** see Tabata, I., 28:390
- Moffitt-Gerstenberger, J.** see Londeree, B. R., 28:775
- Mohr, T.** see Bruunsgaard, H., 28:1176
- Money, J.** see Devita, P., 28:853
- Montain, S. J., Laird, J. E., Latzka, W. A., and Sawka, M. N.** Aldosterone and vasopressin responses in the heat: hydration level and exercise intensity effects, 28:661
- Mordhorst, C. H.** see Bruunsgaard, H., 28:1176
- Morgan, T.** see Rejeski, W. J., 28:977
- Morimoto, T.** see Yoshida, T., 28:867
- Morton, A. R.** see Rowbottom, D. G., 28:1233
- Morton, R. H., Green, S., Bishop, D., and Jenkins, D. G.** Ramp and constant power trials produce equivalent critical power estimates, 28:833
- Moura, L. A.** see Bergamaschi, C. T., 28:169
- Müller, E.** see Sorichter, S., 28:1646
- Mullineaux, D. R.** see Batterham, A. M., 28:181
- Murphy, P.** see Foster, C., 28:297
- Murthy, G.** see Lee, S. M. C., 28:892
- Mussulman, L. M.** see Ainsworth, B. E., 28:781
- Muza, S. R.** see Beidleman, B. A., 28:1588
- Myers, B. S.** see Winkelstein, B. A., 28:S246, 28:S246
- Myers, J.** see Gullestad, L., 28:496

## N

- Nagashima, K.** see Yoshida, T., 28:867
- Nakai, S.** see Yoshida, T., 28:867
- Nashner, L. M.** see Guskiewicz, K. M., 28:S213, 28:S213

- Navas, F. J., Martin, J. F., and Cordova, A.** Compartmental shifts of calcium and magnesium as a result of swimming and swimming training in rats, 28:882
- Neale, E. O.** Editorial, 28:289
- Nehlsen-Cannarella, S. L.** see Nieman, D. C., 28:1318
- Nelson, R. T.** see Grubbs, N., 28:1279
- Neppelenbroek, S. E.** see Mensink, G. B. M., 28:1192
- Newmark, M. J.** see Fuller, C. M., 28:1131
- Ng, A. V., and Kent-Braun, J. A.** Quantitation of lower physical activity in persons with multiple sclerosis, 28:517
- Nicholson, C.** see Hunter, G. R., 28:362
- Nicolosi, R. J., and Rogers, E. J.** Regulation of plasma lipoprotein levels by dietary triglycerides enriched with different fatty acids, 28:1422
- Nieman, D. C., Henson, D. A., Garner, E. B., Butterworth, D. E., Warren, B. J., Utter, A., Davis, J. M., Fagoaga, O. R., and Nehlsen-Cannarella, S. L.** Carbohydrate affects natural killer cell redistribution but not activity after running, 28:1318
- Nigg, B. M.** see De Koning, J. J., 28:1664
- Nioka, S.** see Rundell, K. W., 28:248
- Nishimura, K.** see Tabata, I., 28:390
- Noakes, T. D.** see Bam, J., 28:244
- Noakes, T. D.** see Palmer, G. S., 28:684
- Noakes, T. D.** Challenging beliefs: *ex Africa semper aliquid novi*, 28:571
- Northoff, H.** see Weinstock, C., 28:345
- Nose, H.** see Yoshida, T., 28:867
- Núñez, C.** see Tan, Y. X., 28:1269
- Núñez, C., Gallagher, D., Visser, M., Pi-Sunyer, F. X., Wang, Z., and Heymsfield, S. B.** Bioimpedance analysis: evaluation of leg-to-leg system based on pressure contact foot-pad electrodes, 28:524
- Nyikos, I.** see Hunter, G. R., 28:362
- O**
- Ober, M. J.** see Toussaint, H. M., 28:1208
- Ockene, I. S.** see Matthews, C. E., 28:1199
- O'Connor, D. D.** see Hintermeister, R. A., 28:548
- O'Connor, P. J.** see Cook, D. B., 28:999
- Odland, L. M., MacDougall, J. D., Tarnopolsky, M. A., Elorriaga, A., and Borgmann, A.** Effect of oral creatine supplementation on muscle (Pcr) and short-term maximum power output, 28:216
- O'Driscoll, J. G.** see Green, D. J., 28:1325
- Oelofse, A.** see Bellinger, B., 28:1653
- Oelofse, R.** see Bellinger, B., 28:1653
- Ogita, F.** see Tabata, I., 28:390
- Ohlén, P.** see Larsson, K., 28:1631
- Onishi, S.** see Shin, K., 28:1482
- P**
- Paas, F. G. W. C.** see Van Boxtel, M. P. J., 28:1357
- Padfield, J. A.** see Londeree, B. R., 28:775
- Palmer, G. S., Noakes, T. D., and Hawley, J. A.** Effects of steady-state versus stochastic exercise on subsequent cycling performance, 28:684
- Palmer, W. K., Emeson, E. E., and Johnston, T. P.** The poloxamer 407-induced hyperlipidemic atherogenic animal model, 28:1416
- Pannier, J.-L.** see Calders, P., 28:1182
- Paolone, A. M.** see Libonati, J. R., 28:509
- Parcell, A. C.** see Sheffield-Moore, M., 28:755
- Pardaens, K., Vanhaecke, J., and Fagard, R. H.** Impact of age and gender on peak oxygen uptake in chronic heart failure, 28:733
- Parker, D. L.** see Leaf, D. A., 28:1152
- Parkin, J. A. M., Carey, M. F., Martin, I. K., Stojanovska, L., and Febbraio, M. A.** Muscle glycogen storage following prolonged exercise: effect of timing of ingestion of high glycemic index food, 28:220
- Parrak, V.** see Sorichter, S., 28:1646
- Pascoe, D. D.** see Smith, E. W., 28:654
- Pate, R. R.** see Weston, A. T., 28:138
- Pedersen, B. K.** see Bruunsgaard, H., 28:1176
- Peltonen, J. E.** see Tuominen, J. A., 28:874
- Pendergast, D.** see Leddy, J., 28:17
- Pendergast, D.** see Venkatraman, J. T., 28:333
- Pereira, M. A.** see Fitzgerald, S. J., 28:910
- Pereira, M. A., Fitzgerald, S. J., Gregg, E. W., Joswiak, M. L., Ryan, W. J., Suminski, R. R., Utter, A. C., and Zmuda, J. M.** A collection of physical activity questionnaires for health-related research, 28:S3-S20
- Perrin, D. H.** see Guskiewicz, K. M., 28:S213, 28:S213
- Pérusse, L.** see Gagnon, J., 28:1448
- Pérusse, L.** see Rivera, M. A., 28:1311, 28:1444
- Petosa, R.** see Weston, A. T., 28:138
- Petschnig, R., and Baron, R.** Assessment of metabolic response and functional changes after anterior cruciate ligament surgery, 28:3
- Pettit, M.** see Simpson, K. J., 28:928
- Phillips, S. K.** see Bruce, S. A., 28:677
- Piçarro, I. C.** see Bergamaschi, C. T., 28:169
- Pichard, C., Kyle, U. G., Gremion, G., Gerbase, M., and Slosman, D. O.** Body composition by x-ray absorptiometry and bioelectrical impedance in female runners, 28:1527
- Pi-Sunyer, F. X.** see Núñez, C., 28:524
- Pocholle, M.** see Codine, P., 28:1400
- Pokan, R.** see Hofmann, P., 28:762
- Pokan, R., Hofmann, P., Von Duvillard, S. P., Beaufort, F., Schumacher, M., Fruhwald, F. M., Zweiker, R., Gasser, B. R., Brandt, D., Smekal, G., Klein, W., and Schmid, P.** Left ventricular function in response to the transition from aerobic to anaerobic metabolism, 28:1040
- Poole, D. C., Sexton, W. L., Farkas, G. A., Powers, S. K., and Reid, M. B.** Diaphragm structure and function in health and disease, 28:738
- Popowski, B.** see Rowland, T., 28:1146
- Porkka, K. V. K.** see Raitakari, O. T., 28:1055
- Port, S. C.** see Foster, C., 28:297
- Potteiger, J. A.** see Klein, R. M., 28:1625
- Powers, K.** see Kravitz, L., 28:1028
- Powers, S. K.** see Poole, D. C., 28:738
- Powers, S. K., Demirel, H. A., Coombes, J. S., Fletcher, L., Calliaud, C., Vrabas, I., and Prezant, D.** Myosin phenotype and bioenergetic characteristics of rat respiratory muscles, 28:1573
- Préfaut, C.** see Counil, F.-P., 28:430
- Préfaut, C., Anselme-Poujol, F., and Calliaud, C.** Inhibition of histamine release by nedocromil sodium reduces exercise-induced hypoxemia in master athletes, 28:10
- Press, J. M.** see Young, J. L., 28:S222, 28:S222
- Prezant, D.** see Powers, S. K., 28:1573
- Price, R. I.** see Dook, J. E., 28:291
- Puffer, J. C.** see Wen, D. Y., 28:1291
- Puschendorf, B.** see Sorichter, S., 28:1646
- R**
- Raitakari, O. T., Taimela, S., Porkka, K. V. K., Telama, R., Välimäki, I., Åkerblom, H. K., and Viikari, J. S. A.** Associations between physical activity and risk factors for coronary heart disease: The Cardiovascular Risk in Young Finns Study, 28:1055
- Ramakrishnan, V.** see Lauderdale, D. S., 28:1062
- Ramirez, A., Schwane, J. A., McFarland, C., and Starcher, B.** The effect of ultrasound on collagen synthesis and fibroblast proliferation *in vitro*, 28:326
- Ramsey-Emrhein, J. A.** see Torg, J. S., 28:S256
- Rao, D. C.** see Gagnon, J., 28:1448
- Rao, D. C.** see Rivera, M. A., 28:1311
- Raven, P. B.** Editorial, 28:1, 28:849
- Raybourne, R. B.** see Zelazowska, E. B., 28:467
- Regev, R.** see Falk, B., 28:1124
- Reichenbach, S.** see Gnehm, P., 28:818
- Reid, M. B.** see Poole, D. C., 28:738
- Reina, J. C.** see Spurr, G. B., 28:1255
- Rejeski, W. J., Brawley, L. R., Ettinger, W., Morgan, T., and Thompson, C.** Compliance to exercise therapy in older participants with knee osteoarthritis: implications for treating disability, 28:977
- Renson, R.** see Beunen, G. P., 28:225
- Richter, E. A.** see Graham, T. E., 28:646
- Riebe, D.** see Armstrong, L. E., 28:1657
- Riebe, D., Maresch, C. M., Armstrong, L. E., Kenefick, R. W., Castellani, J. W., Echegaray, M. E., Clark, B. A., and Camaione, D. N.** Effects of oral and intravenous rehydration on ratings of perceived exertion and thirst, 28:117
- Riemann, B. L.** see Guskiewicz, K. M., 28:S213, 28:S213
- Rinard, J. P.** see Miles, M. P., 28:457
- Rintala, P., McCubbin, J. A., Downs, S. B., and Fox, S. D.** Cross validation of the 1-mile walking test for men with mental retardation, 28:133
- Rivera, M. A., Dionne, F. T., Simoneau, J.-A., Pérusse, L., Chagnon, M., Chagnon, Y., Gagnon, J., Leon, A. S., Rao, D. C., Skinner, J. S., Wilmore, J. H., and Bouchard, C.** Muscle-specific creatine kinase gene polymorphism and



VO<sub>2max</sub> in the HERITAGE Family Study, 28:1311

Rivera, M. A., Dionne, F. T., Wolfarth, B., Chagnon, M., Simoneau, J.-A., Pérusse, L., Boulay, M. R., Gagnon, J., Song, T. M. K., Keul, J., and Bouchard, C.

Muscle-specific creatine kinase gene polymorphisms in elite endurance athletes and sedentary controls, 28:1444

Robergs, R. A. see Griffin, S. E., 28:149

Robergs, R. A. see Kravitz, L., 28:1028

Robergs, R. A. see Ruby, B. C., 28:1160

Robergs, R. A., Icenogle, M. V., Hudson, T. L., and Greene, E. R. Temporal

inhomogeneity in brachial artery blood

flow during forearm exercise, 28:1021

Robertson, R. J. see Kang, J., 28:377

Rock, P. B. see Beidleman, B. A., 28:1588

Rodas, G. see Garrido, E., 28:937

Roepke, J. E. see Davidson, C. J., 28:313

Rogers, E. J. see Nicolosi, R. J., 28:1422

Rogers, G., Goodman, C., and Rosen, C.

Water budget during ultra-endurance

exercise, 28:1477

Rogers, G. G. see Taylor, S. R., 28:688

Romito, R. A. see Lamont, L. S., 28:769

Rosen, C. see Rogers, G., 28:1477

Roskamm, H. see Meyer, K., 28:306

Rowbottom, D. G., Keast, D., Garcia-

Webb, P., and Morton, A. R. Training

adaptation and biological changes among

well-trained male triathletes, 28:1233

Rowe, D. A. see Cureton, K. J., 28:259

Rowell, A. L. see Hill, D. W., 28:113

Rowland, J. see Leddy, J., 28:17

Rowland, J. A. see Venkatraman, J. T.,

28:333

Rowland, T., Popowski, B., and Ferrone,

L. Cardiac responses to maximal upright

cycle exercise in healthy boys and men,

28:1146

Rubal, B. J. see Dramiga, S. A., 28:427

Ruby, B. C., Robergs, R. A., Waters, D.

L., Burge, M., Mermier, C., and

Stolarczyk, L. Effects of estradiol on

substrate turnover during exercise in

amenorrheic females, 28:1160

Rundell, K. W., Nioka, S., and Chance,

B. Hemoglobin/myoglobin desaturation

during speed skating, 28:248

Russi, E. W. see Bingisser, R., 28:1499

Ryan, A. J. see Duchman, S. M., 28:482

Ryan, J. B. see Taylor, D. C., 28:1619

Ryan, R. C. see Malina, R. M., 28:99

Ryan, W. J. see Pereira, M. A., 28:S3-S20

## S

Saelens, B. E. see Coleman, K. J., 28:

1535

Sale, D. G. see Zehr, E. P., 28:1366, 28:

1383

Salo, A., Grimshaw, P. N., and Marar, L.

3-D biomechanical analysis of sprint

hurdles at different competitive levels, 28:

231

Salo, A., Grimshaw, P. N., and Viitasalo,

J. T. Reliability of variables in the

kinematic analysis of sprint hurdles, 28:

383

Saltin, B. see Sullivan, M. J., 28:860

Samek, L. see Meyer, K., 28:306

Saperia, G. see Matthews, C. E., 28:1199

Savage, M. J. see Boreham, C. A., 28:788

Sawka, M. N. see Montain, S. J., 28:661

Schaad, D. see Leaf, D. A., 28:1152

Schedl, H. P. see Duchman, S. M., 28:482

Scherer, T. see Bingisser, R., 28:1499

Schmalzried, T. P. see Wen, D. Y., 28:

1291

Schmid, P. see Hofmann, P., 28:762

Schmid, P. see Pokan, R., 28:1040

Schmidt, D. H. see Foster, C., 28:297

Schmidt-Trucksäb, A. see Huonker, M.,

28:1554

Schor, N. see Bergamaschi, C. T., 28:169

Schuit, A. J. see Mensink, G. B. M., 28:

1192

Schumacher, M. see Pokan, R., 28:1040

Schurr, T. see Weidner, T. G., 28:604

Schwaibold, M. see Meyer, K., 28:306

Schwane, J. A. see Ramirez, A., 28:326

Secnik, P. see Soricter, S., 28:1646

Segal, S. S. see Chew, H. G., Jr., 28:1304

Segura, R. see Garrido, E., 28:937

Seibert, F. J. see Hofmann, P., 28:762

Sevier, T. L. see Davidson, C. J., 28:313

Sexton, W. L. see Poole, D. C., 28:738

Shannon, M. P. see Wilber, R. L., 28:1090

Sheffield-Moore, M., Short, K. R., Kerr,

C. G., Parcell, A. C., Bolster, D. R., and

Costill, D. L. Thermoregulatory responses

to cycling with and without a helmet, 28:

755

Shewchuk, L. D., Baracos, V. E., and

Field, C. J. Dietary L-glutamine does not

improve lymphocyte metabolism or

function in exercise-trained rats, 28:474

Shih, H.-C. see Lu, S.-S., 28:1048

Shin, K., Minamitani, H., Onishi, S.,

Yamazaki, H., and Lee, M. Autonomic

differences between athletes and

nonathletes: spectral analysis approach,

28:1482

Shindo, M. see Lim, K., 28:355

Shindo, M. see Tanaka, H., 28:503

Shoemaker, J. K., Tiidus, P. M., and

Mader, R. Failure of manual massage to

alter limb blood flow: measures by

Doppler ultrasound, 28:610

Sholinsky, P. see Lauderdale, D. S., 28:

1062

Short, K. R. see Sheffield-Moore, M., 28:

755

Sieminski, D. J. see Womack, C. J., 28:

1286

Simoneau, J.-A. see Boulay, M. R., 28:

125

Simoneau, J.-A. see Rivera, M. A., 28:

1311, 28:1444

Simons, J. see Beunen, G. P., 28:225

Simonsen, S. see Gullestad, L., 28:496

Simpson, K. J., and Kanter, L. Jump

distance of dance landings influencing

internal joint forces: I. axial forces, 28:916

Simpson, K. J., and Pettit, M. Jump

distance of dance landings influencing

internal joint forces: II. shear forces, 28:

928

Singh, A. see Zelazowska, E. B., 28:467

Skelton, M. S. see Smith, E. W., 28:654

Skinner, J. S. see Gagnon, J., 28:1448

Skinner, J. S. see Rivera, M. A., 28:1311

Sloniger, M. A. see Cureton, K. J., 28:259

Slosman, D. O. see Pichard, C., 28:1527

Smekal, G. see Pokan, R., 28:1040

Smith, D. B. see Eckerson, J. M., 28:962

Smith, E. W., Skelton, M. S., Kremer, D.

E., Pascoe, D. D., and Gladden, L. B.

Lactate distribution in the blood during

progressive exercise, 28:654

Smith, J. C. see Cook, D. B., 28:999

Smith, J. C., Stephens, D. P.,

Winchester, P. K., and Williamson, J. W.

Facial cooling-induced bradycardia:

attenuating effect of central command at

exercise onset, 28:320

Snyder, S. W. see Hunter, G. R., 28:362

Song, T. M. K. see Rivera, M. A., 28:1444

Soricter, S. see Huonker, M., 28:1554

Soricter, S., Mair, J., Koller, A., Secnik,

P., Parrak, V., Haid, C., Müller, E., and

Puschendorf, B. Muscular adaptation and

strength during the early phase of

eccentric training: influence of the training

frequency, 28:1646

Sothman, M., and Castello, G. K.

Simulated weightlessness to induce

chronic hypoactivity of brain

norepinephrine for exercise and stress

studies, 28:39

Speroni, D. L. see Devita, P., 28:853

Spring, D. A. see Fuller, C. M., 28:1131

Spurr, G. B., Dufour, D. L., Reina, J. C.,

and Haught, T. A. Daily energy

expenditure of women by factorial and

heart rate methods, 28:1255

Starcher, B. see Ramirez, A., 28:326

St. Clair Gibson, A. see Bellinger, B., 28:

1653

Steadman, J. R. see Hintermeister, R. A.,

28:548

Stein, R. A. see Chesler, R. M., 28:1299

Steinman, R. C. see Goldsmith, R. L., 28:

812

Stephens, D. P. see Smith, J. C., 28:320

Sternberg, E. M. see Zelazowska, E. B.,

28:467

Stevens, B. R. see Bamman, M. M., 28:

1462

Stewart, A. M., and Hopkins, W. G.

Swimmers' compliance with training

prescription, 28:1389

Stojanovska, L. see Parkin, J. A. M., 28:

220

Stolarczyk, L. see Ruby, B. C., 28:1160

Stolarczyk, L. M. see Ainsworth, B. E.,

28:781

Stolarczyk, L. M. see Wagner, D. R., 28:

969

Stone, W. J. see George, J. D., 28:415

Stott, G. see MacAuley, D., 28:1187

Stout, J. R. see Eckerson, J. M., 28:962

St.-Pierre, D. M. M. see Behm, D. G., 28:

1115

Strain, J. J. see Boreham, C. A., 28:788

Stringer, W. W. see Coppoolse, R., 28:

725

Sugita, M. see Abe, T., 28:1549

Sullivan, M. J., Duscha, B. D., Kiltgaard,

H., Kraus, W. E., Cobb, F. R., and Saltin,

B. Altered expression of myosin heavy

chain in human skeletal muscle in chronic

heart failure, 28:860

Sumida, K. D. see Donovan, C. M., 28:

628

Suminski, R. R. see Kang, J., 28:377

Suminski, R. R. see Pereira, M. A., 28:S3-

S20

Summers, R. W. see Duchman, S. M.,

28:482

- Sun, Y. see Tan, Y. X., 28:1269  
 Susaki, T. see Bhambhani, Y. N., 28:402  
 Suzuki, M. see Lim, K., 28:355  
 Svanevik, L. S. see Broeder, C. E., 28:705  
 Swain, D. P. A model for optimizing cycling performance by varying power on hills and in wind, 28:1104  
 Swain, D. P., and Leutholtz, B. C. Heart rate reserve is equivalent to  $\%VO_{2\text{max}}$ , not to  $\%VO_{2\text{peak}}$ , 28:410  
 Swain, D. P., and Wright, R. L. Prediction of  $VO_{2\text{peak}}$  from submaximal cycle ergometry using 50 versus 80 rpm, 28:268  
 Sweeney, K. see MacAuley, D., 28:1187

## T

- Tabata, I. Response, 28:1275  
 Tabata, I., Irisawa, K., Kouzaki, M., Nishimura, K., Ogita, F., and Miyachi, M. Metabolic profile of high intensity intermittent exercises, 28:390  
 Taimela, S. see Raitakari, O. T., 28:1055  
 Tan, Y. X., Nuñez, C., Sun, Y., Zhang, K., Wang, Z., and Heymsfield, S. B. New electrode system for rapid whole-body and segmental bioimpedance assessment, 28:1269  
 Tanaka, H. see Lim, K., 28:355  
 Tanaka, H., Kiyonaga, A., Terao, Y., Ide, K., Yamauchi, M., Tanaka, M., and Shindo, M. Double product response is accelerated above the blood lactate threshold, 28:503  
 Tanaka, M. see Tanaka, H., 28:503  
 Tarnopolsky, M. A. see Melissa, L., 28:238  
 Tarnopolsky, M. A. see Odland, L. M., 28:216  
 Taylor, D. C., Brooks, D. E., and Ryan, J. B. Viscoelastic characteristics of muscle: passive stretching versus muscular contractions, 28:1619  
 Taylor, M. S. see Bushman, B. A., 28:694  
 Taylor, R. R. see Green, D. J., 28:1325  
 Taylor, S. R., Rogers, G. G., and Driver, H. S. Effects of training volume on sleep, psychological, and selected physiological profiles of elite female swimmers, 28:688  
 Teates, C. D. see Clasey, J. L., 28:560  
 Teeken, J. C. see Van Bortel, M. P. J., 28:1357  
 Telama, R. see Raitakari, O. T., 28:1055  
 Terao, Y. see Tanaka, H., 28:503  
 Teske, H. M. see Foster, C., 28:1521  
 Thomas, K. T., Keller, C. S., and Holbert, K. E. Ethnic and age trends for body composition in women residing in the U.S. Southwest: II. total fat, 28:90  
 Thomas, K. T., Keller, C. S., and Holbert, K. E. Ethnic and age trends for body composition in women residing in the U.S. Southwest: I. regional fat, 28:82  
 Thomas, T. R. see Zogas, G. G., 28:986  
 Thompson, C. see Rejeski, W. J., 28:977  
 Tildus, P. M. see Shoemaker, J. K., 28:610  
 Todd, M. K., Goldfarb, A. H., and Burleson, C. Comparison of methods for evaluating exercise-induced changes in thromboxane  $B_2$  and  $\beta$ -thromboglobulin, 28:700  
 Torg, J. S., and A.Ramsey-Emrhein, J. Suggested management options for participation in collision activities with congenital, developmental, or postinjury lesions involving the cervical spine, 28:S256

- Torg, J. S., and Ramsey-Emrhein, J. A. Suggested management options for participation in collision activities with congenital, developmental, or postinjury lesions involving the cervical spine, 28:S256  
 Torrey, M. see Devita, P., 28:853  
 Toussaint, H. M., Commissaris, D. A. C. M., and Beek, P. J. Anticipatory postural adjustments in the back and leg lift, 28:1216  
 Toussaint, H. M., Commissaris, D. A. C. M., Hoozemans, M. J. M., Ober, M. J., and Beek, P. J. Anticipatory postural adjustments before load pickup in a bi-manual whole body lifting task, 28:1208  
 Trappe, T. A., Gastaldelli, A., Jozsi, A. C., Troup, J. P., and Wolfe, R. R. Energy expenditure of swimmers during high volume training, 28:950  
 Tremblay, A. see King, N. A., 28:1076  
 Triad, T. F. A. /American College of Sports Medicine, 28:(May)  
 Trinick, T. R. see MacAuley, D., 28:1187  
 Troup, J. P. see Trappe, T. A., 28:950  
 Tsai, S.-C. see Lu, S.-S., 28:1048  
 Tung, Y.-F. see Lu, S.-S., 28:1048  
 Tuominen, J. A., Peltonen, J. E., and Koivisto, V. A. Blood flow, lipid oxidation, and muscle glycogen synthesis after glycogen depletion by strenuous exercise, 28:874  
 Turcotte, L. P. see Graham, T. E., 28:646  
 Turley, K. R., and Wilmore, J. H. Cardiovascular responses to submaximal exercise in 7- to 9-year-old boys and girls, 28:824  
 Twisk, J. see Boreham, C. A., 28:788

## U

- Utter, A. see Nieman, D. C., 28:1318  
 Utter, A. C. see Kang, J., 28:377  
 Utter, A. C. see Pereira, M. A., 28:S3-S20

## V

- Vachon, J. A. see Bassett, D. R., 28:1250  
 Vaisman, M. see Da Nóbrega, A. C. L., 28:175  
 Välimäki, I. see Raitakari, O. T., 28:1055  
 Van Bortel, M. P. J., Paas, F. G. W. C., Houx, P. J., Adam, J. J., Teeken, J. C., and Jolles, J. Aerobic capacity and cognitive performance in a cross-sectional aging study, 28:1357  
 Van Den Bogert, A. J. see Allinger, T. L., 28:279  
 Vanhaecke, J. see Pardaens, K., 28:733  
 Van Kranenburg, G. see De Crée, C., 28:1580  
 Varkey, B. see Hoffman, M. D., 28:1379  
 Varray, A. see Counil, F.-P., 28:430  
 Vaughan, C. L. see Kowalk, D. L., 28:1406  
 Venkatraman, J. T., Rowland, J. A., Denardin, E., Horvath, P. J., and Pendergast, D. Influence of the level of dietary lipid intake and maximal exercise on the immune status in runners, 28:333  
 Ventura, J. L. see Garrido, E., 28:937

- Vergis, A., Hindriks, M., and Gillquist, J. Sagittal plane translations of the knee in anterior cruciate deficient subjects and controls, 28:1561  
 Verhoestra, B. see Davidson, C. J., 28:313  
 Videman, T., Battie, M. C., Gibbons, L. E., Manninen, H., Gill, K., Fisher, L. D., and Koskenvuo, M. Lifetime exercise and disk degeneration: an MRI study of monozygotic twins, 28:1350  
 Viikari, J. S. A. see Raitakari, O. T., 28:1055  
 Viitasalo, J. T. see Salo, A., 28:383  
 Visser, M. see Nuñez, C., 28:524  
 Voisin, M. see Counil, F.-P., 28:430  
 Volkert, P. see Foster, C., 28:1521  
 Volpe, J. see Broeder, C. E., 28:705  
 Von Duvillard, S. P. see Hofmann, P., 28:762  
 Von Duvillard, S. P. see Pokan, R., 28:1040  
 von Duvillard, S. P. Introduction, 28:1414  
 Vrabas, I. see Powers, S. K., 28:1573

## W

- Wagner, B. M. see Martin, J. C., 28:1505  
 Wagner, D. R. see Kravitz, L., 28:1028  
 Wagner, D. R., Heyward, V. H., Kocina, P. S., Stolarczyk, L. M., and Wilson, W. L. Predictive accuracy of BIA equations for estimating fat-free mass of black men, 28:969  
 Wallace, J. P. see Gregory, R. L., 28:1596  
 Wallace, M. B., Mills, B. D., and Browning, C. L. Effects of cross-training on markers of insulin resistance/hyperinsulinemia, 28:1170  
 Wang, P. S. see Lu, S.-S., 28:1048  
 Wang, S.-W. see Lu, S.-S., 28:1048  
 Wang, Z. see Nuñez, C., 28:524  
 Wang, Z. see Tan, Y. X., 28:1269  
 Warburton, D. see Krip, B., 28:1469  
 Ward, J. J. see Booth, J., 28:943  
 Warren, B. J. see Nieman, D. C., 28:1318  
 Watenpaugh, D. E. see Lee, S. M. C., 28:892  
 Waters, D. L. see Ruby, B. C., 28:1160  
 Webber, C. E. see Dyson, K., 28:443  
 Weidner, T. G., Anderson, B. N., Kaminsky, L. A., Dick, E. C., and Schurr, T. Effect of a rhinovirus-caused upper respiratory illness on pulmonary function test and exercise responses, 28:604  
 Weinstock, C., König, D., Harnischmacher, R., Keul, J., Berg, A., and Northoff, H. Effect of exhaustive exercise stress on the cytokine response, 28:345  
 Wellens, R. E. see Malina, R. M., 28:99  
 Weltman, A. see Clasey, J. L., 28:560  
 Weltman, A., Weltman, J. Y., Womack, C. J., Davis, S. E., Blumer, J. L., Gaesser, G. A., and Hartman, M. L. Exercise training decreases the growth hormone (GH) response to acute constant-load exercise, 28:669  
 Weltman, J. Y. see Weltman, A., 28:669  
 Wen, D. Y., Puffer, J. C., and Schmalzried, T. P. Lower extremity alignment and risk of overuse injuries in runners, 28:1291  
 Westbrook, S. see Meyer, K., 28:306

- Weston, A. T., Petosa, R., and Pate, R. R.** Validation of an instrument for measurement of physical activity in youth, 28:138
- Whalen, R. T.** see Breit, G. A., 28:540
- Whipple, G. H.** see Fuller, C. M., 28:1131
- Wideman, L.** see Clasey, J. L., 28:560
- Widmer, H.** see Gnehm, P., 28:818
- Wiedrich-Smith, M. D.** see Coleman, K. J., 28:1535
- Wilber, R. L., Zawadzki, K. M., Kearney, J. T., Shannon, M. P., and Disalvo, D.** Physiological profiles of elite off-road and road cyclists, 28:1090
- Williams, T. J., and Krahenbuhl, G. S.** Menstrual cycle phase and running economy, 28:1609
- Williamson, J. W.** see Miles, M. P., 28:457
- Williamson, J. W.** see Smith, J. C., 28:320
- Wilmore, J. H.** see Broeder, C. E., 28:705
- Wilmore, J. H.** see Gagnon, J., 28:1448
- Wilmore, J. H.** see Rivera, M. A., 28:1311
- Wilmore, J. H.** see Turley, K. R., 28:824
- Wilson, W. L.** see Wagner, D. R., 28:969
- Winchester, P. K.** see Smith, J. C., 28:320
- Winkelstein, B. A., and Myers, B. S.** The biomechanics of cervical spine injury and implications for injury prevention, 28:S246, 28:S246
- Woledge, R. C.** see Bruce, S. A., 28:677
- Wolfarth, B.** see Rivera, M. A., 28:1444

- Wolfe, R. R.** see Trappe, T. A., 28:950
- Womack, C. J.** see Weltman, A., 28:669
- Womack, C. J., Sieminski, D. J., Katzel, L. I., Yataco, A., and Gardner, A. W.** Improved walking economy in patients with peripheral arterial occlusive disease, 28:1286
- Worrell, T. W.** see Isear, J. A., Jr., 28:532
- Wright, R. L.** see Swain, D. P., 28:268

## Y

- Yamauchi, M.** see Tanaka, H., 28:503
- Yamazaki, H.** see Shin, K., 28:1482
- Yataco, A.** see Womack, C. J., 28:1286
- Yoder, J. E.** see Lockwood, P. A., 28:1513
- Yong-Hing, K.** see Bailey, D. A., 28:1395
- Yorimoto, A.** see Yoshida, T., 28:867
- Yoshida, T., Nagashima, K., Nose, H., Kawabata, T., Nakai, S., Yorimoto, A., and Morimoto, T.** Relationship between aerobic power, blood volume, and thermoregulatory responses to exercise-heat stress, 28:867
- Yoshioka, M.** see Lim, K., 28:355
- Young, J. L., Press, J. M., and Herring, S. A.** The disc at risk in athletes: perspectives on operative and nonoperative care, 28:S222, 28:S222

## Z

- Zawadzki, K. M.** see Wilber, R. L., 28:1090

- Zebas, C. J.** see Klein, R. M., 28:1625
- Zehr, E. P., and Sale, D. G.** Reproducibility of ballistic movement, 28:1383
- Zehr, E. P., Sale, D. G., and Dowling, J. J.** Ballistic movement performance in karate athletes, 28:1366
- Zelazowska, E. B., Singh, A., Raybourne, R. B., Sternberg, E. M., Gold, P. W., and Deuster, P. A.** Lymphocyte subpopulation expression in women: effect of exercise and circadian rhythm, 28:467
- Zerath, E., Holy, X., Douce, P., Guezennec, C. Y., and Chatard, J. C.** Effect of endurance training on postexercise parathyroid hormone levels in elderly men, 28:1139
- Zhang, K.** see Tan, Y. X., 28:1269
- Ziogas, G. G., Thomas, T. R., and Harris, W. S.** Exercise training, postprandial hypertriglyceridemia, and LDL subfraction distribution, 28:986
- Zipf, W. B.** see Horswill, C. A., 28:1263
- Zmuda, J. M.** see Pereira, M. A., 28:S3-S20
- Zoeller, R. F.** see Kang, J., 28:377
- Zweiker, R.** see Hofmann, P., 28:762
- Zweiker, R.** see Pokan, R., 28:1040



## KEY WORD LISTING

## A

**Abdominal exercise**, low back loads and, 29:804

**Accelerometer**

quantitation of lower physical activity in persons with multiple sclerosis, 29:517  
relationships between TriTrac-R3D vectors, heart rate, and self-report in obese children, 29:1535

**Acetylcholine**

accentuated antagonism in canine subendocardium is not altered by chronic exercise, 29:1013

mechanisms of central nervous system fatigue during exercise, 29:45

time course of enhanced endothelium-mediated dilation in aorta of trained rats, 29:1454

**Achilles tendon**

effect of ultrasound on collagen synthesis and fibroblast proliferation *in vivo*, 29:326

rat tendon morphologic and functional changes resulting from soft tissue mobilization, 29:313

**Adolescents**. See also Children

Cardiovascular Risk in Young Finns Study, 29:1055

family size and age at menarche in athletes, 29:99

measuring energy costs of leisure activity using a CO<sub>2</sub> breath test, 29:1263  
metabolic determinants of age-related improvement in one-mile run/walk performance, 29:259

Modifiable Activity Questionnaire for Adolescents, 29:579

National Children and Youth Fitness Study I & II, 29:5170

physical activity, sports participation, and risk factors, 29:788

prediction of adult stature and noninvasive assessment of biological maturation, 29:225

predictive validity of an injury score among high school basketball players, 29:1279

prospective screening of 5,615 high school athletes for risk of sudden cardiac death, 29:1131

theoretical model of influence of baseball modulus and mass on head and chest impacts, 29:26

validation of instrument for measurement of physical activity, 29:138

validity of bioelectrical impedance equations for estimating fat-free weight in high school female gymnasts, 29:962

Youth Risk Behavior Survey, 29:S201

$\beta_1$ -adrenoreceptors, regulation of resting metabolic rate, 29:769

**Aerobic capacity**

and cognitive performance in cross-sectional aging study, 29:1357

comparison and cross-validation of cycle ergometry estimates of maximal oxygen uptake, 29:1513

effect of cycling experience, aerobic power, and power output on preferred and most economical cycling cadences, 29:1225

impact of age and gender on peak oxygen uptake in chronic heart failure, 29:733

non-exercise maximal oxygen uptake estimation for physically active college students, 29:415

physiological profiles of elite off-road and road cyclists, 29:1090

reproducibility of Bruce protocol exercise test for determination of, in older women, 29:1109

skeletal muscle adaptations under normobaric hypoxic versus normoxic conditions, 29:238

**Aerobic metabolism**

left ventricular function in response to transition from aerobic to anaerobic metabolism, 29:1040

maximal oxygen uptake: "classical" versus "contemporary" viewpoints, 29:591

**Aerobics Center Longitudinal Study Physical Activity Questionnaire**, 29:S10

**Aerodynamics**, influence of different racing positions on metabolic cost in elite cyclists, 29:818

**African Americans**, predictive accuracy of bioimpedance in estimating fat-free mass

men, 29:969

women, 29:781

**Age effects**. See also Older adults

aerobic capacity and cognitive performance in cross-sectional aging study, 29:1357

and cardiac output during cycle exercise in thermoneutral and warm environments, 29:75

effect of endurance training on postexercise parathyroid hormone levels in elderly men, 29:1139

ethnic and age trends for body composition in women residing in U.S. Southwest: regional fat, 29:82

ethnic and age trends for body composition in women residing in U.S. Southwest: total fat, 29:90

on peak oxygen uptake in chronic heart failure, 29:733

physical fitness as determinant of vagal modulation, 29:812

$\beta_2$ -Agonists, influence on physical performance at low temperature in elite athletes, 29:1631

**Aldosterone**, and vasopressin responses in heat, 29:661

**Allometric scaling**

body mass scaling of peak oxygen uptake in 20- to 79-yr-old adults, 29:1602

of left ventricular mass by body dimensions in males and females, 29:181

normalizing strength for body size differences in older adults, 29:713

**Altitude**

cardiorespiratory response to exercise in elite Sherpa climbers transferred to sea level, 29:937

exercise responses after altitude acclimatization are retained during reintroduction to altitude, 29:1588

highland mountain hiking and coronary heart disease, 29:1554

skeletal muscle adaptations under normobaric hypoxic versus normoxic conditions, 29:238

**Amenorrhea**

ACSM position stand on the female athlete triad, 29:51

effects of estradiol on substrate turnover during exercise in amenorrheic females, 29:1160

exercise-induced changes in enzymatic O-methylation of catecholestrogens by erythrocytes of eumenorrheic women, 29:1580

female athlete triad (letter), 29:1669

**American College of Sports Medicine position papers**

diabetes mellitus and exercise, 29:(12)j  
the female athlete triad, 29:(5)i

**Amino acids**

effect of endurance training on ammonia and amino acid metabolism, 29:646

pre-exercise branched-chain amino acid administration increases endurance performance in rats, 29:1182

**Ammonia**

effect of endurance training on amino acid metabolism and, 29:646

pre-exercise branched-chain amino acid administration increases endurance performance in rats, 29:1182

**Anabolic steroids**, exposure shortens life span of male mice, 29:615

**Anaerobic capacity**

birth weight and physical ability in 5- to 8-yr-old healthy children born prematurely, 29:1124

cardiorespiratory response to exercise in elite Sherpa climbers transferred to sea level, 29:937

metabolic and biomechanical variables of two incline conditions during distance running, 29:1625

metabolic profile of high intensity intermittent exercises, 29:390, 29:1274 (letter)

ramp and constant power trials produce equivalent critical power estimates, 29:833

Wingate test performance in children with asthma, 29:430

**Anaerobic metabolism**

challenging beliefs, 29:571

detection of ventilatory threshold using near infrared spectroscopy in men and women, 29:402

lactate exchange and removal abilities in rowing performance, 29:396

left ventricular function in response to transition from aerobic metabolism to, 29:1040

#### Ankle

fatigue characteristics after fracture, 29:1115

jump distance of dance landings influencing internal joint forces

axial forces, 29:916

shear forces, 29:928

#### Anterior cruciate ligament

sagittal plane translations of the knee in anterior cruciate deficient subjects and controls, 29:1561

surgery, 29:3

assessment of metabolic response and functional changes after, 29:3

gait adaptations before and after, 29:853

and joint dynamics during stair climbing, 29:1406

#### Anthropometrics

lower extremity alignment and risk of overuse injuries in runners, 29:1291

patients with hyperthyroidism, 29:175

**Appetite**, exercise effects on, 29:1076

**Area-elastic sport surfaces**, assessment of mechanical properties of, with video analysis, 29:1664

**Arginine vasopressin**, and aldosterone responses in mild, 29:661

#### Arm exercise

lactate exchange and removal abilities in rowing performance, 29:396

metabolic efficiency during arm and leg exercise at same relative intensities, 29:377

temporal inhomogeneity in brachial artery blood flow during forearm exercise, 29:1021

**Arteries**. See also Coronary heart disease

arterial morphology and blood volumes of rats following 10–14 weeks of tail suspension, 29:1304

improved walking economy in patients with peripheral arterial occlusive disease, 29:1286

time course of enhanced endothelium-mediated dilation in aorta of trained rats, 29:1454

**Asthma**, Wingate test performance in children with, 29:430

**Atenolol**, regulation of resting metabolic rate, 29:769

**Atherosclerosis**. See Coronary heart disease

#### Athletes

ACSM position stand on the female athlete triad, 29:51

ballistic movement performance in karate athletes, 29:1366

body composition by x-ray absorptiometry and bioelectrical impedance in female runners, 29:1527

cervical spine injury biomechanics and implications for injury prevention, 29:5246

diagnosis and treatment of cervical radiculopathy, 29:5236

management guidelines for participation in collision activities with congenital, developmental, or postinjury lesions, 29:5256

stingers, transient quadriplegia, and cervical spinal stenosis: return to play criteria, 29:5233

comparison of free range and graded exercise testing, 29:1521

could women outrun men in ultramarathon races?, 29:244

3-D biomechanical analysis of sprint hurdles at different competitive levels, 29:231

dietary red pepper ingestion increases carbohydrate oxidation at rest and during exercise in runners, 29:355

effects of steady-state versus stochastic exercise on subsequent cycling performance, 29:684

effects of training volume on sleep, psychological, and selected physiological profiles of elite female swimmers, 29:688

energy expenditure of swimmers during high volume training, 29:950

exercise and bone mineral density in females, 29:291

family size and age at menarche, 29:99

female athlete triad (letter), 29:1669

gymnastic training and bone density in preadolescent females, 29:443

head injury alternative approaches to assessment of mild injury, 29:5213

team physician's approach to initial concussion management, 29:5207

hormonal, immunological, and hematological responses to intensified training in elite swimmers, 29:1637

influence of a  $\beta_2$ -agonist on physical performance at low temperature in elite athletes, 29:1631

influence of dietary lipid intake and maximal exercise on immune status in runners, 29:333

influence of different racing positions on metabolic cost in elite cyclists, 29:818

influence of sports discipline on shoulder rotator cuff balance, 29:1400

inhibition of histamine release by nedocromil sodium reduces exercise-induced hypoxemia, 29:10

injuries to elite rowers over a 10-yr period, 29:1567

lactate exchange and removal abilities in rowing performance, 29:396

lifetime exercise and disk degeneration: MRI study of monozygotic twins, 29:1350

metabolic and biomechanical variables of two incline conditions during distance running, 29:1625

muscle-specific creatine kinase gene polymorphisms in elite endurance athletes and sedentary controls, 29:1444

operative and nonoperative care of lumbar disc injuries, 29:5222

physiological profiles of elite off-road and road cyclists, 29:1090

predictive validity of an injury score among high school basketball players, 29:1279

prospective screening of 5,615 high school athletes for risk of sudden cardiac death, 29:1131

reliability of a 1-h endurance performance test in trained female cyclists, 29:554

reliability of variables in kinematic analysis of sprint hurdles, 29:383

skating technique for straights, based on optimization of simulation model, 29:279

spectral analysis of autonomic differences between nonathletes and, 29:1482

technique and energy losses in front crawl swimming, 29:1491

theoretical model of influence of baseball modulus and mass on head and chest impacts, 29:26

training adaptation and biological changes among well-trained male triathletes, 29:1233

water budget during ultra-endurance exercise, 29:1477

water running with and without a flotation vest in competitive and recreational runners, 29:1374

wet bulb globe temperature index and performance in competitive distance runners, 29:955

**Atrial natriuretic factor**, gas exchange and neurohumoral response to exercise, 29:496

**Autonomic nervous system**, spectral analysis of differences between athletes and nonathletes, 29:1482

## B

**Baecke Questionnaire of Habitual Physical Activity**, 29:515

Modified Baecke Questionnaire for Older Adults, 29:5117

#### Balance

anticipatory postural adjustments before load pickup in a bi-manual whole-body lifting task, 29:1208

anticipatory postural adjustments in the back and leg lift, 29:1216

#### Ballistic movement

performance in karate athletes, 29:1366

reproducibility of, 29:1383

**Baseball**, theoretical model of influence of baseball modulus and mass on head and chest impacts, 29:26

**Bed rest**. See also Deconditioning physiological effects, 29:187

attenuated by exercise training, 29:207

cardiovascular, 29:191

musculoskeletal, 29:197

resistance exercise prevents plantar flexor deconditioning during, 29:1462

upright exercise or supine lower body negative pressure exercise maintains exercise responses after, 29:892

#### Behavior

Behavioral Risk Factor Surveillance System, 29:5146

exercise, brain, and, 29:37

monoamines, exercise, and behavioral stress in animal models, 29:63

**Bicarbonate**, effect of acute administration on exercise responses in chronic obstructive pulmonary disease, 29:725

#### Biodynamics

anticipatory postural adjustments before load pickup in a bi-manual whole-body lifting task, 29:1208

anticipatory postural adjustments in the back and leg lift, 29:1216

ballistic movement performance in karate athletes, 29:1366

bioimpedance analysis: evaluation of leg-to-leg system based on pressure contact foot-pad electrodes, 29:524

effects of steady-state versus stochastic exercise on subsequent cycling performance, 29:684

electromyographic analysis of lower extremity muscle recruitment patterns during unloaded squat, 29:532

greater cross education following training with muscle lengthening than shortening, 29:107

impact shock and attenuation during in-line skating, 29:1069

interpreting relation between force and cross-sectional area in human muscle, 29:677

jump distance of dance landings influencing internal joint forces

axial forces, 29:916

shear forces, 29:928

low back loads over a variety of abdominal exercises, 29:804

mechanical characteristics of knee extension exercises performed on an isokinetic dynamometer, 29:794

menstrual cycle phase and running economy, 29:1609

metabolic efficiency during arm and leg exercise at same relative intensities, 29:377

muscle activity in wedge, parallel, and giant slalom skiing, 29:548

optimization of walking in children, 29:370

prediction of human gait parameters from temporal measures of foot-ground contact, 29:540

reliability of variables in kinematic analysis of sprint hurdles, 29:383

responses to exercise at velocity associated with maximal oxygen consumption, 29:113

technique and energy losses in front crawl swimming, 29:1491

viscoelastic characteristics of muscle: passive stretching versus muscular contractions, 29:1619

**Bioelectrical impedance**

assessing body composition before and after resistance or endurance training, 29:705

bioimpedance spectroscopy technique, 29:1657

body composition by x-ray absorptiometry and, in female runners, 29:1527

evaluation of leg-to-leg system based on pressure contact foot-pad electrodes, 29:524

new electrode system for rapid whole-body and segmental bioimpedance assessment, 29:1269

predictive accuracy for estimating fat-free mass

black men, 29:969

black women, 29:781

high school female gymnasts, 29:962

**Biomechanics**

cervical spine injury and implications for injury prevention, 29:S246

3-D biomechanical analysis of sprint hurdles at different competitive levels, 29:231

metabolic and biomechanical variables of two incline conditions during distance running, 29:1625

**Birth weight**, and physical ability in 5- to 8-yr-old healthy children born prematurely, 29:1124

**Blood**

exercise-induced changes in enzymatic O-methylation of catecholestrogens by erythrocytes of eumenorrheic women, 29:1580

hormonal, immunological, and hematological responses to intensified training in elite swimmers, 29:1637

lactate distribution in blood during progressive exercise, 29:654

**Blood flow**

blood flow, lipid oxidation, and muscle glycogen synthesis after glycogen depletion by strenuous exercise, 29:874

diaphragm, 29:738

effect of casting on forearm resistance vessels in young men, 29:1325

effects of bed rest, 29:191

failure of manual massage to alter limb blood flow: measures by Doppler ultrasound, 29:610

temporal inhomogeneity in brachial artery blood flow during forearm exercise, 29:1021

**Blood pressure**

double product response is accelerated about blood lactate threshold, 29:503

facial cooling-induced bradycardia, 29:320

measurement during exercise, 29:149

spectral analysis of autonomic differences between athletes and nonathletes, 29:1482

**Blood volume**

arterial morphology and blood volumes of rats following 10–14 weeks of tail suspension, 29:1304

effects of bed rest, 29:191

relationship between aerobic power, blood volume, and thermoregulatory responses to exercise-heat stress, 29:867

**Body composition**

assessing before and after resistance or endurance training, 29:705

bioimpedance analysis: evaluation of leg-to-leg system based on pressure contact foot-pad electrodes, 29:524

by DEXA in older adults, 29:560

ethnic and age trends in women residing in U.S. Southwest: regional fat, 29:82

ethnic and age trends in women residing in U.S. Southwest: total fat, 29:90

fat distribution, physical activity, and cardiovascular risk factors, 29:362

new electrode system for rapid whole-body and segmental bioimpedance assessment, 29:1269

of patients with hyperthyroidism, 29:175

predictive accuracy of bioimpedance in estimating fat-free mass of African-American women, 29:781

validity of bioelectrical impedance equations for estimating fat-free weight in high school female gymnasts, 29:962

by x-ray absorptiometry and bioelectrical impedance in female runners, 29:1527

**Body temperature**. See Cold effects; Heat effects; Thermoregulation

**Bone mineral density**

altered loading patterns and femoral bone mineral density in children with unilateral Legg-Calvé-Perthes disease, 29:1395

body composition by DEXA in older adults, 29:560

exercise and, in female athletes, 29:291

gymnastic training and, in preadolescent females, 29:443

**Bouchard Three-Day Physical Activity Record**, 29:S19

**Boxing**, energy expenditure of noncontact boxing training session compared with submaximal treadmill running, 29:1653

**Brachial artery**, temporal inhomogeneity in brachial artery blood flow during forearm exercise, 29:1021

**Bradycardia**, facial cooling-induced, 29:320

**Brain**. See also Head injury

effects of acute physical exercise on central serotonergic systems, 29:58

exercise, behavior, and, 29:37

mechanisms of central nervous system fatigue during exercise, 29:45

monoamines, exercise, and behavioral stress in animal models, 29:63

simulated weightlessness to induce chronic hypoactivity of brain norepinephrine for exercise and stress studies, 29:39

**Bruce protocol exercise test**, reproducibility for determination of aerobic capacity in older women, 29:1109

**Bungee jumping**, orbital emphysema as complication of, 29:850

## C

**Calcium**, compartmental shifts of magnesium and, as result of swimming and swimming training in rats, 29:882

**Canada Fitness Survey**, 29:S153

**Capsaicin**, dietary ingestion increases carbohydrate oxidation at rest and during exercise in runners, 29:355

**Carbohydrates**

affecting natural killer cell redistribution but not activity after running, 29:1318

dietary red pepper ingestion increases carbohydrate oxidation, 29:355

effect of timing of ingestion of high glycemic index food on glycogen storage after prolonged exercise, 29:220

**Carbon dioxide breath test**, to measure energy costs of leisure activity in adolescents, 29:1263

**Cardiac output**

and age during cycle exercise in thermoneutral and warm environments, 29:75

effects of bed rest, 29:191

responses to maximal upright cycle exercise in healthy boys and men, 29:1146



**CARDIA Physical Activity History**, 29: S25**Cardiovascular fitness**. See also Physical fitness and performance

eccentric exercise augments cardiovascular response to static exercise, 29:457

effects of bed rest, 29:187, 29:191  
attenuated by exercise training, 29:207

left ventricular function during exercise testing and training, 29:297

non-exercise maximal oxygen uptake estimation for physically active college students, 29:415

responses to submaximal exercise in 7- to 9-yr-old boys and girls, 29:824

**Cardiovascular risk factors**

Cardiovascular Risk in Young Finns Study, 29:1055

effect of chromium and exercise training in obese women, 29:992

effect of high or low fat diet in male and female runners, 29:17

effect of physical activity and diet on lipoprotein(a), 29:1429

fat distribution, physical activity, and, 29:362

intensity, duration, and frequency of physical activity and coronary risk factors, 29:1192

physical activity and sports participation in adolescents, 29:788

prospective screening of 5,615 high school athletes for risk of sudden cardiac death, 29:1131

swine as model for studying exercise-induced changes in lipid metabolism, 29:1437

**Catecholamines**

exercise effect on canine and miniswine cardiac catecholamines and enkephalins, 29:1338

exercise-induced changes in enzymatic O-methylation of catecholestrogens by erythrocytes of eumenorrheic women, 29:1580

exercise training decreases growth hormone response to acute constant-load exercise, 29:669

plasma catecholamine and lactate relationship during graded exercise in men with spinal cord injury, 29:451

**Cervical spine**

biomechanics of cervical spine injury and implications for injury prevention, 29:S246

diagnosis and treatment of cervical radiculopathy, 29:S236

management guidelines for participation in collision activities with congenital, developmental, or postinjury lesions, 29:S256

stingers, transient quadriplegia, and cervical spinal stenosis: return to play criteria for athletes, 29:S233

**Children**. See also Adolescents

altered loading patterns and femoral bone mineral density in children with unilateral Legg-Calvé-Perthes disease, 29:1395

birth weight and physical ability in 5- to 8-yr-old healthy children born prematurely, 29:1124

blood lactate and perceived exertion relative to ventilatory threshold: boys versus men, 29:1332

cardiac responses to maximal upright cycle exercise in healthy boys and men, 29:1146

cardiovascular responses to submaximal exercise in 7- to 9-yr-old boys and girls, 29:824

Cardiovascular Risk in Young Finns Study, 29:1055

gymnastic training and bone density in preadolescent females, 29:443

measuring general levels of physical activity: preliminary evidence for the Physical Activity Questionnaire for Older Children, 29:1344

metabolic determinants of age-related improvement in one-mile run/walk performance, 29:259

National Children and Youth Fitness Study I & II, 29:S170

optimization of walking in, 29:370

relationships between TriTrac-R3D vectors, heart rate, and self-report in obese children, 29:1535

theoretical model of influence of baseball modulus and mass on head and chest impacts, 29:26

Wingate test performance in children with asthma, 29:430

**Cholesterol**. See also Fat, dietary; Lipoproteins

effect of high or low fat diet on cardiovascular risk factors in male and female runners, 29:17

lipids and lipoproteins in diet and exercise, 29:1414

physical fitness, lipids, and apolipoproteins in the Northern Ireland Health and Activity Survey, 29:1187

poloxamer 407-induced hyperlipidemic atherogenic animal model, 29:1416

regulation of plasma lipoprotein levels by dietary triglycerides enriched with different fatty acids, 29:1422

relationship between leisure-time physical activity and selected dietary variables in the Worcester Area Trial for Counseling in Hyperlipidemia, 29:1199

**Chromium supplementation**, and exercise training, effect on obese women, 29:992

**Chronic disease and disability**

altered expression of myosin heavy chain in human skeletal muscle in chronic heart failure, 29:860

compliance to exercise therapy in older participants with knee osteoarthritis, 29:977

effect of acute bicarbonate administration on exercise responses in chronic obstructive pulmonary disease, 29:725

impact of age and gender on peak oxygen uptake in chronic heart failure, 29:733

interval training in patients with severe chronic heart failure, 29:125

quantitation of lower physical activity in persons with multiple sclerosis, 29:517

training effects on progression of chronic renal failure in rats, 29:169

**Circadian rhythm**, effect of exercise and, on lymphocyte subpopulation expression in women, 29:467

**Climbing**, cardiorespiratory response to exercise in elite Sherpa climbers transferred to sea level, 29:937

**Cognitive function**, and aerobic capacity in cross-sectional aging study, 29:1357

**Cold effects**

effects of ambient temperature on the capacity to perform prolonged cycle exercise in man, 29:1240

influence of a  $\beta_2$ -agonist on physical performance at low temperature in elite athletes, 29:1631

**Collagen**

effect of ultrasound on collagen synthesis and fibroblast proliferation *in vivo*, 29:326

rat tendon morphologic and functional changes resulting from soft tissue mobilization, 29:313

**Common cold**, effect of rhinovirus-caused upper respiratory illness on pulmonary function test and exercise responses, 29:604

**Compliance**

to exercise therapy in older participants with knee osteoarthritis, 29:977

swimmers' compliance with training prescription, 29:1389

**Computer viruses** (editorial), 29:289

**Conconi test**, heart rate performance curve during incremental cycle ergometer exercise in healthy young males, 29:762

**Concussion**

alternative approaches to assessment of mild head injury, 29:S213

team physician's approach to initial management, 29:S207

**Coronary heart disease**

changes in maximal oxygen uptake, physical activity, and body fat with chronic exercise: effects on plasma lipids, 29:1152

comparison of free range and graded exercise testing, 29:1521

effect of high or low fat diet on cardiovascular risk factors in male and female runners, 29:17

highland mountain hiking and, 29:1554

lipids and lipoproteins in diet and exercise, 29:1414

poloxamer 407-induced hyperlipidemic atherogenic animal model, 29:1416

swine as model for studying exercise-induced changes in lipid metabolism, 29:1437

**Creatine kinase**

gene polymorphisms and maximal oxygen uptake in the HERITAGE Family Study, 29:1311

gene polymorphisms in elite endurance athletes and sedentary controls, 29:1444

muscular adaptation and strength during the early phase of eccentric training: influence of training frequency, 29:1646

**Creatine supplementation**

effect on muscle and short-term maximum power output, 29:216

effect on running performance and biochemical properties of rat skeletal muscle, 29:489

**Cross-training**

effects on markers of insulin resistance/hyperinsulinemia, 29:1170

water running with and without a flotation vest in competitive and recreational runners, 29:1374

**Cyclic adenosine monophosphate**, involvement in effects of lactate and exercise on testosterone secretion, 29:1048

#### Cycling

age and cardiac output in thermoneutral and warm environments, 29:75

comparison and cross-validation of cycle ergometry estimates of maximal oxygen uptake, 29:1513

effect of cycling experience, aerobic power, and power output on preferred and most economical cycling cadences, 29:1225

effects of ambient temperature on the capacity to perform prolonged cycle exercise in man, 29:1240

effects of steady-state versus stochastic exercise on subsequent cycling performance, 29:684

heart rate performance curve during incremental cycle ergometer exercise in healthy young males, 29:762

inertial-load method determines maximal cycling power in single exercise bout, 29:1505

influence of different racing positions on metabolic cost in elite cyclists, 29:818

metabolic efficiency during arm and leg exercise at same relative intensities, 29:377

model for optimizing performance by varying power on hills and in wind, 29:1104

naturally occurring muscle pain during exercise, 29:999

oxygen consumption of cycle ergometry is nonlinearly related to work rate and pedal rate, 29:775

physiological profiles of elite off-road and road cyclists, 29:1090

prediction of peak oxygen consumption from submaximal cycle ergometry using 50 versus 80 rpm, 29:268

reliability of a 1-h endurance performance test in trained female cyclists, 29:554

thermoregulatory responses with and without a helmet, 29:755

**Cytokines**. See also Immune system effect of exhaustive exercise stress on cytokine response, 29:345

influence of dietary lipid intake and maximal exercise on immune status in runners, 29:333

#### D

**Dance**, jump distance of dance landings influencing internal joint forces

axial forces, 29:916

shear forces, 29:928

**Death**, prospective screening of 5,615 high school athletes for risk of sudden cardiac death, 29:1131

**Deconditioning**. See also Bed rest effect of casting on forearm resistance vessels in young men, 29:1325

meta-analysis of effect on

lactate/ventilatory thresholds, 29:837

physiological effects of bed rest and restricted activity, 29:187

attenuated by exercise training, 29:207

cardiovascular effects, 29:191

musculoskeletal effects, 29:197

quantitation of lower physical activity in persons with multiple sclerosis, 29:517

resistance exercise prevents plantar flexor deconditioning during bed rest, 29:1462

#### Dehydration

aldosterone and vasopressin responses in heat: hydration level and exercise intensity effects, 29:661

effects of oral and intravenous rehydration on ratings of perceived exertion and thirst, 29:117

**Deoxyribonucleic acid**, muscle-specific creatine kinase gene polymorphism and maximal oxygen uptake in the HERITAGE Family Study, 29:1311

**Diabetes mellitus**, ACSM position paper on exercise and, 29:121

#### Diaphragm

myosin phenotype and bioenergetic characteristics of rat respiratory muscles, 29:1573

structure and function in health and disease, 29:738

#### Diet and nutrition

ACSM position stand on the female athlete triad, 29:51

dietary L-glutamine does not improve lymphocyte metabolism or function in exercise-trained rats, 29:474

effect of physical activity and diet on lipoprotein(a), 29:1429

effect of timing of ingestion of high glycemic index food on glycogen storage after prolonged exercise, 29:220

effects of exercise on appetite control, 29:1076

female athlete triad (letter), 29:1669

lipids and lipoproteins in diet and exercise, 29:1414

National Health and Nutrition Examination Survey I, II, and III, 29:5196

red pepper ingestion increases carbohydrate oxidation at rest and during exercise in runners, 29:355

regulation of plasma lipoprotein levels by dietary triglycerides enriched with different fatty acids, 29:1422

relationship between leisure-time physical activity and selected dietary variables in the Worcester Area Trial for Counseling in Hyperlipidemia, 29:1199

**Disability**. See Chronic disease and disability

#### Dopamine

brain monoamines, exercise, and behavioral stress in animal models, 29:63

mechanisms of central nervous system fatigue during exercise, 29:45

#### Dual energy x-ray absorptiometry

altered loading patterns and femoral bone mineral density in children with unilateral Legg-Calvé-Perthes disease, 29:1395

body composition by bioelectrical impedance and, in female runners, 29:1527

body composition in older adults, 29:560

#### Dynamometry

assessment of metabolic response and functional changes after anterior cruciate ligament surgery, 29:3

mechanical characteristics of knee extension exercises performed on an isokinetic dynamometer, 29:794

#### E

**Eating disorders**, ACSM position stand on the female athlete triad, 29:51

#### Echocardiography

allometric scaling of left ventricular mass by body dimensions in males and females, 29:181

cardiovascular response to sudden strenuous exercise: an exercise echocardiographic study, 29:1299

highland mountain hiking and coronary heart disease: exercise tolerance and effects on left ventricular function, 29:1554

**Elderly**. See Older adults

#### Electromyography

analysis of lower extremity muscle recruitment patterns during unloaded squat, 29:532

assessment of metabolic response and functional changes after anterior cruciate ligament surgery, 29:3

ballistic movement performance in karate athletes, 29:1366

greater cross education following training with muscle lengthening than shortening, 29:107

low back loads over a variety of abdominal exercises, 29:804

muscle activity in wedge, parallel, and giant slalom skiing, 29:548

#### Endurance exercise

assessing body composition before and after resistance or endurance training, 29:705

could women outrun men in ultramarathon races?, 29:244

effect of timing of ingestion of high glycemic index food on glycogen storage after, 29:220

effect on ammonia and amino acid metabolism, 29:646

effect on fatty acid metabolism local adaptations, 29:640

during whole body exercise, 29:635

effect on postexercise parathyroid hormone levels in elderly men, 29:1139

effects of cross-training on markers of insulin resistance/hyperinsulinemia, 29:1170

lifetime exercise and disk degeneration: MRI study of monozygotic twins, 29:1350

maximal oxygen uptake: "classical" versus "contemporary" viewpoints, 29:591

monitoring high-intensity endurance exercise with heart rate and thresholds, 29:125

muscle-specific creatine kinase gene polymorphism and maximal oxygen uptake in the HERITAGE Family Study, 29:1311

- muscle-specific creatine kinase gene polymorphisms in elite endurance athletes and sedentary controls, 29:1444
- plasma glucose metabolism during, 29:620
- pre-exercise branched-chain amino acid administration increases endurance performance in rats, 29:1182
- ramp and constant power trials produce equivalent critical power estimates, 29:833
- reliability of a 1-h endurance performance test in trained female cyclists, 29:554
- responses to exercise at velocity associated with maximal oxygen consumption, 29:113
- training enhanced hepatic gluconeogenesis, 29:628
- water budget during ultra-endurance exercise, 29:1477
- Energy expenditure.** See also Oxygen uptake
- assessed by simultaneous monitoring of heart rate and motion, 29:144
- daily energy expenditure of women by factorial and heart rate methods, 29:1255
- effects of exercise on appetite control, 29:1076
- energy cost of stair climbing and descending on the college alumnus questionnaire, 29:1250
- exercise mode and gender comparisons of, at self-selected intensities, 29:1028
- measuring energy costs of leisure activity in adolescents using a CO<sub>2</sub> breath test, 29:1263
- of noncontact boxing training session compared with submaximal treadmill running, 29:1653
- oxygen consumption of cycle ergometry is nonlinearly related to work rate and pedal rate, 29:775
- of swimmers during high volume training, 29:950
- validation of instrument for measurement of physical activity, 29:138
- Enkephalins,** exercise effect on canine and miniswine cardiac catecholamines and, 29:1338
- Environmental effects**
- aldosterone and vasopressin responses in heat: hydration level and exercise intensity effects, 29:661
- and cardiac output during cycle exercise in thermoneutral and warm environments, 29:75
- effects of ambient temperature on the capacity to perform prolonged cycle exercise in man, 29:1240
- exercise responses after altitude acclimatization are retained during reintroduction to altitude, 29:1588
- improved running performance in hot humid conditions following whole body precooling, 29:943
- thermoregulatory responses to cycling with and without a helmet, 29:755
- Epidemiology**
- aerobic capacity and cognitive performance in cross-sectional aging study, 29:1357
- associations among physical activity, television watching, and obesity in adult Pima Indians, 29:910
- Cardiovascular Risk in Young Finns Study,** 29:1055
- ethnic and age trends for body composition in women residing in U.S. Southwest: regional fat, 29:82
- ethnic and age trends for body composition in women residing in U.S. Southwest: total fat, 29:90
- family size and age at menarche in athletes, 29:99
- fat distribution, physical activity, and cardiovascular risk factors, 29:362
- intensity, duration, and frequency of physical activity and coronary risk factors, 29:1192
- lifetime exercise and disk degeneration: MRI study of monozygotic twins, 29:1350
- measuring general levels of physical activity: preliminary evidence for the Physical Activity Questionnaire for Older Children, 29:1344
- physical activity, sports participation, and risk factors in adolescents, 29:788
- physical activity and incidence of coronary heart disease in middle-aged women and men, 29:901
- physical fitness, lipids, and apolipoproteins in the Northern Ireland Health and Activity Survey, 29:1187
- prediction of adult stature and noninvasive assessment of biological maturation, 29:225
- predictive accuracy of bioimpedance in estimating fat-free mass of African-American women, 29:781
- quantitation of lower physical activity in persons with multiple sclerosis, 29:517
- relationship between leisure-time physical activity and selected dietary variables in the Worcester Area Trial for Counseling in Hyperlipidemia, 29:1199
- twin study of familial determinants of moderate and intense physical activity, 29:1062
- Epinephrine**
- exercise effect on canine and miniswine cardiac catecholamines and enkephalins, 29:1338
- exercise training decreases growth hormone response to acute constant-load exercise, 29:669
- plasma catecholamine and lactate relationship during graded exercise in men with spinal cord injury, 29:451
- Ergogenic aids**
- creatine
- effect of loading and training on running performance and biochemical properties of rat skeletal muscle, 29:489
- effect of supplementation on muscle and short-term maximum power output, 29:216
- effect of acute bicarbonate administration on exercise responses in chronic obstructive pulmonary disease, 29:725
- Estradiol,** effects on substrate turnover during exercise in amenorrheic females, 29:1160
- Estrogen,** exercise-induced changes in enzymatic O-methylation of catecholestrogens by erythrocytes of eumenorrheic women, 29:1580
- Exercise.** See also Physical activity
- ACSM position paper on diabetes mellitus and, 29:121
- assessment of. See Physical activity questionnaires
- during bed rest to attenuate deconditioning, 29:207
- blood pressure measurement during, 29:149
- and bone mineral density in female athletes, 29:291
- brain, behavior, and, 29:37
- brain monoamines, exercise, and behavioral stress in animal models, 29:63
- cardiovascular response to sudden strenuous exercise: an exercise echocardiographic study, 29:1299
- chronic, accentuated antagonism in canine subendocardium is not altered by, 29:1013
- comparison of methods for evaluating exercise-induced changes in thromboxane B<sub>2</sub> and  $\beta$ -thromboglobulin, 29:700
- eccentric exercise augments cardiovascular response to static exercise, 29:457
- effect of circadian rhythm and, on lymphocyte subpopulation expression in women, 29:467
- effect of endurance training on fatty acid metabolism
- local adaptations, 29:640
- during whole body exercise, 29:635
- effect of exhaustive exercise stress on cytokine response, 29:345
- effect of physical activity and diet on lipoprotein(a), 29:1429
- effect on canine and miniswine cardiac catecholamines and enkephalins, 29:1338
- effect on milk immunoglobulin A, 29:1596
- effects of steady-state versus stochastic exercise on subsequent cycling performance, 29:684
- effects on appetite control, 29:1076
- effects on central serotonergic systems, 29:58
- forearm, temporal inhomogeneity in brachial artery blood flow during, 29:1021
- influence of dietary lipid intake and maximal exercise on immune status in runners, 29:333
- influence of exercise protocol on gas exchange and neurohumoral response to, 29:496
- lactate and effects of exercise on testosterone secretion: evidence for involvement of cyclic adenosine monophosphate-mediated mechanism, 29:1048
- lactate distribution in blood during progressive exercise, 29:654
- lipids and lipoproteins in diet and, 29:1414
- mechanisms of central nervous system fatigue during, 29:45
- naturally occurring muscle pain during, 29:999
- plasma glucose metabolism during exercise: effect of endurance training, 29:620
- swine as model for studying exercise-induced changes in lipid metabolism, 29:1437



training decreases growth hormone response to acute constant-load exercise, 29:669

#### Exercise intensity

effect on lipid peroxidation, 29:1036  
effects of steady-state versus stochastic exercise on subsequent cycling performance, 29:684  
exercise mode and gender comparisons of energy expenditure at self-selected intensities, 29:1028

highland mountain hiking and coronary heart disease: exercise tolerance and effects on left ventricular function, 29:1554  
hormonal, immunological, and hematological responses to intensified training in elite swimmers, 29:1637  
interval training in patients with severe chronic heart failure, 29:125  
metabolic efficiency during arm and leg exercise at same relative intensities, 29:377  
metabolic profile of high intensity intermittent exercises, 29:390, 29:1274 (letter)

monitoring high-intensity endurance exercise with heart rate and thresholds, 29:125  
twin study of familial determinants of moderate and intense physical activity, 29:1062

**Exercise prescription, swimmers'** compliance with, 29:1389

**Eye disorders, orbital emphysema as** complication of bungee jumping, 29:850

## F

**Fat, body.** See also Body composition  
associations among physical activity, television watching, and obesity in adult Pima Indians, 29:910  
body composition by DEXA in older adults, 29:560  
changes in maximal oxygen uptake, physical activity, and body fat with chronic exercise: effects on plasma lipids, 29:1152  
ethnic and age trends in women residing in U.S. Southwest  
regional fat, 29:82  
total fat, 29:90

fat distribution, physical activity, and cardiovascular risk factors, 29:362  
predictive accuracy of bioimpedance in estimating fat-free mass of African-American women, 29:781  
relationship between training frequency and subcutaneous and visceral fat in women, 29:1549

**Fat, dietary.** See also Cholesterol; Lipoproteins

effect of high or low fat diet on cardiovascular risk factors in male and female runners, 29:17  
exercise training, postprandial hypertriglyceridemia and LDL subfraction distribution, 29:986  
influence of dietary lipid intake and maximal exercise on immune status in runners, 29:333

regulation of plasma lipoprotein levels by dietary triglycerides enriched with different fatty acids, 29:1422

relationship between leisure-time physical activity and selected dietary variables in the Worcester Area Trial for Counseling in Hyperlipidemia, 29:1199

#### Fatigue

characteristics after ankle fracture, 29:1115  
mechanisms of central nervous system fatigue during exercise, 29:45

#### Fatty acids

effect of endurance training on metabolism of  
local adaptations, 29:640  
during whole body exercise, 29:635  
regulation of plasma lipoprotein levels by dietary triglycerides enriched with, 29:1422

#### Fibroblasts

effect of ultrasound on collagen synthesis and fibroblast proliferation *in vivo*, 29:326  
rat tendon morphologic and functional changes resulting from soft tissue mobilization, 29:313

#### Fluids.

See also Dehydration  
effects of oral and intravenous rehydration on ratings of perceived exertion and thirst, 29:117  
upper limit for intestinal absorption of dilute glucose solution in men at rest, 29:482

water budget during ultra-endurance exercise, 29:1477

**Foot, lower extremity alignment and risk of** overuse injuries in runners, 29:1291

#### Force

interpreting relation between force and cross-sectional area in human muscle, 29:677

jump distance of dance landings  
influencing internal joint forces

axial forces, 29:916  
shear forces, 29:928  
prediction of human gait parameters from temporal measures of foot-ground contact, 29:540

**Framingham Physical Activity Index, 29:533**

## G

#### Gait.

See also Walking  
adaptations before and after anterior cruciate ligament surgery, 29:853  
anterior cruciate ligament reconstruction and joint dynamics during stair climbing, 29:1406  
optimization of walking in children, 29:370

prediction of human gait parameters from temporal measures of foot-ground contact, 29:540

**Gamma aminobutyric acid, brain** monoamines, exercise, and behavioral stress in animal models, 29:63

#### Gas exchange.

See also Ventilation  
automated maximal oxygen uptake calibrator for open-circuit indirect calorimetry systems, 29:1095  
detection of ventilatory threshold using near infrared spectroscopy in men and women, 29:402

inhibition of histamine release by nedocromil sodium reduces exercise-induced hypoxemia in athletes, 29:10  
and neurohumoral response to exercise: influence of exercise protocol, 29:496

**Gender differences.** See also Women  
acute effects of treadmill running on lipoprotein(a) levels in males and females, 29:436

allometric scaling of left ventricular mass by body dimensions in males and females, 29:181

cardiovascular responses to submaximal exercise in 7- to 9-yr-old boys and girls, 29:824

could women outrun men in ultramarathon races?, 29:244

3-D biomechanical analysis of sprint hurdles at different competitive levels, 29:231

detection of ventilatory threshold using near infrared spectroscopy, 29:402  
effect of high or low fat diet on cardiovascular risk factors in male and female runners, 29:17

effect of training on repeatability of cardiopulmonary exercise performance in normal men and women, 29:1499  
exercise mode and gender comparisons of energy expenditure at self-selected intensities, 29:1028

in peak oxygen uptake in chronic heart failure, 29:733

physical activity and incidence of coronary heart disease in middle-aged women and men, 29:901

#### Genetics

absence of linkage between maximal oxygen uptake and its response to training with markers spanning chromosome 22, 29:1448

muscle-specific creatine kinase gene polymorphism and maximal oxygen uptake in the HERITAGE Family Study, 29:1311  
muscle-specific creatine kinase gene polymorphisms in elite endurance athletes and sedentary controls, 29:1444

twin study of familial determinants of moderate and intense physical activity, 29:1062

#### Geriatrics.

See Older adults

#### Glucose

effect of timing of ingestion of high glycemic index food on glycogen storage after prolonged exercise, 29:220  
plasma glucose metabolism during exercise: effect of endurance training, 29:620

training enhanced hepatic gluconeogenesis, 29:628

upper limit of intestinal absorption of dilute glucose solution in men at rest, 29:482

#### Glutamine

dietary L-glutamine does not improve lymphocyte metabolism or function in exercise-trained rats, 29:474

training adaptation and biological changes among well-trained male triathletes, 29:1233

#### Glycogen

blood flow, lipid oxidation, and muscle glycogen synthesis after glycogen depletion by strenuous exercise, 29:874



effect of timing of ingestion of high glycemic index food on glycogen storage after prolonged exercise, 29:220

#### **Godin Leisure-Time Exercise Questionnaire**, 29:S36

#### **Graded exercise**

comparison of free range and graded exercise testing, 29:1521  
plasma catecholamine and lactate relationship during graded exercise in men with spinal cord injury, 29:451

**Graves' disease**, muscle function and body composition of patients with, 29:175

**Growth hormone**, exercise training decreases growth hormone response to acute constant-load exercise, 29:669

#### **Gymnastics**

training and bone density in preadolescent females, 29:443  
validity of bioelectrical impedance equations for estimating fat-free weight in high school female gymnasts, 29:962

## **H**

#### **Head injury**

alternative approaches to assessment of mild head injury, 29:S213  
team physician's approach to initial concussion management, 29:S207  
theoretical model of influence of baseball modulus and mass on head and chest impacts, 29:26

#### **Health Insurance Plan of New York Activity Questionnaire**, 29:S39

#### **Heart**

accentuated antagonism in canine subendocardium is not altered by chronic exercise, 29:1013

allometric scaling of left ventricular mass by body dimensions in males and females, 29:181

cardiac responses to maximal upright cycle exercise in healthy boys and men, 29:1146

cardiovascular response to sudden strenuous exercise: an exercise echocardiographic study, 29:1299

effects of bed rest, 29:187, 29:191  
attenuated by exercise training, 29:207

exercise effect on canine and miniswine cardiac catecholamines and enkephalins, 29:1338

left ventricular function during exercise testing and training, 29:297

left ventricular function in response to transition from aerobic to anaerobic metabolism, 29:1040

reduced ischemia and reperfusion injury after exercise training, 29:509

#### **Heart disease**

altered expression of myosin heavy chain in human skeletal muscle in chronic heart failure, 29:860

**Cardiovascular Risk in Young Finns Study**, 29:1055

changes in maximal oxygen uptake, physical activity, and body fat with chronic exercise: effects on plasma lipids, 29:1152

effect of high or low fat diet on cardiovascular risk factors in male and female runners, 29:17

fat distribution, physical activity, and cardiovascular risk factors, 29:362

highland mountain hiking and coronary heart disease, 29:1554

impact of age and gender on peak oxygen uptake in, 29:733

intensity, duration, and frequency of physical activity and coronary risk factors, 29:1192

interval training in patients with severe chronic heart failure, 29:306

lipids and lipoproteins in diet and exercise, 29:1414

physical activity, sports participation, and risk factors in adolescents, 29:788

physical activity and incidence of, in middle-aged women and men, 29:901

poloxamer 407-induced hyperlipidemic atherogenic animal model, 29:1416

prospective screening of 5,615 high school athletes for risk of sudden cardiac death, 29:1131

rehabilitation after redo revascularization and repaired sternotomy, 29:427

#### **Heart rate**

cardiovascular responses to submaximal exercise in 7- to 9-yr-old boys and girls, 29:824

daily energy expenditure of women by factorial and heart rate methods, 29:1255

double product response is accelerated about blood lactate threshold, 29:503

effect of training on repeatability of cardiopulmonary exercise performance in normal men and women, 29:1499

effects of bed rest, 29:191

effects of steady-state versus stochastic exercise on subsequent cycling performance, 29:684

exercise responses after altitude acclimatization are retained during reintroduction to altitude, 29:1588

facial cooling-induced bradycardia, 29:320

heart rate reserve is equivalent to % $\dot{V}O_{2\text{reserve}}$ , not to % $\dot{V}O_{2\text{max}}$ , 29:410

monitoring high-intensity endurance exercise with heart rate and thresholds, 29:125

performance curve during incremental cycle ergometer exercise in healthy young males, 29:762

relationships between TriTrac-R3D vectors, heart rate, and self-report in obese children, 29:1535

simultaneous monitoring of heart rate and motion to assess energy expenditure, 29:144

spectral analysis of autonomic differences between athletes and nonathletes, 29:1482

**Heat effects**. See also Thermoregulation

aldosterone and vasopressin responses in heat: hydration level and exercise intensity effects, 29:661

and cardiac output during cycle exercise in thermoneutral and warm environments, 29:75

effects of ambient temperature on the capacity to perform prolonged cycle exercise in man, 29:1240

improved running performance in hot humid conditions following whole body precooling, 29:943

relationship between aerobic power, blood volume, and thermoregulatory responses to exercise-heat stress, 29:867

wet bulb globe temperature index and performance in competitive distance runners, 29:955

**Hemodialysis**, effects of long-term training on progression of chronic renal failure in rats, 29:169

**Hemoglobin/myoglobin desaturation**, during speed skating, 29:248

#### **HERITAGE Family Study**

absence of linkage between maximal oxygen uptake and its response to training with markers spanning chromosome 22, 29:1448

muscle-specific creatine kinase gene polymorphism and maximal oxygen uptake, 29:1311

**Histamine**, inhibition of release by nedocromil sodium and reduction of exercise-induced hypoxemia in athletes, 29:10

#### **Historical Leisure Activity Questionnaire**, 29:S43

#### **Hormones**

effect of endurance training on postexercise parathyroid hormone levels in elderly men, 29:1139

effects of cross-training on markers of insulin resistance/hyperinsulinemia, 29:1170

effects of estradiol on substrate turnover during exercise in amenorrheic females, 29:1160

exercise training decreases growth hormone response to acute constant-load exercise, 29:669

hormonal, immunological, and hematological responses to intensified training in elite swimmers, 29:1637

**Hyperlipidemia**. See Cholesterol; Lipids; Lipoproteins

**Hyperthyroidism**, muscle function and body composition of patients with, 29:175

#### **Hypoxia**

cardiorespiratory response to exercise in elite Sherpa climbers transferred to sea level, 29:937

inhibition of histamine release by nedocromil sodium reduces exercise-induced hypoxemia in athletes, 29:10

skeletal muscle adaptations to training under normobaric hypoxic versus normoxic conditions, 29:238

## **I**

#### **Immobilization**. See also Bed rest

effect of casting on forearm resistance vessels in young men, 29:1325

fatigue characteristics after ankle fracture, 29:1115

#### **Immune system**

carbohydrate affects natural killer cell redistribution but not activity after running, 29:1318

dietary L-glutamine does not improve lymphocyte metabolism or function in exercise-trained rats, 29:474

effect of exercise and circadian rhythm on lymphocyte subpopulation expression in women, 29:467

effect of exercise on milk immunoglobulin A, 29:1596

effect of exhaustive exercise stress on cytokine response, 29:345

hormonal, immunological, and hematological responses to intensified training in elite swimmers, 29:1637

influence of dietary lipid intake and maximal exercise on immune status in runners, 29:333

*in vivo* cell-mediated immunity and vaccination response following prolonged, intense exercise, 29:1176

**Incremental exercise**

heart rate performance curve during incremental cycle ergometer exercise in healthy young males, 29:762

ramp and constant power trials produce equivalent critical power estimates, 29:833

**Indirect calorimetry**, automated maximal oxygen uptake calibrator for open-circuit systems, 29:1095

**Infections**, effect of rhinovirus-caused upper respiratory illness on pulmonary function test and exercise responses, 29:604

**Injuries**

care of lumbar disc injuries in athletes, 29:S222

cervical spine

biomechanics and implications for injury prevention, 29:S246

diagnosis and treatment of cervical radiculopathy, 29:S236

management guidelines for participation in collision activities with congenital, developmental, or postinjury lesions, 29:S256

stingers, transient quadriplegia, and cervical spinal stenosis: return to play criteria, 29:S233

to elite rowers over a 10-yr period, 29:1567

fatigue characteristics after ankle fracture, 29:1115

head

alternative approaches to assessment of mild injury, 29:S213

team physician's approach to initial concussion management, 29:S207

lower extremity alignment and risk of overuse injuries in runners, 29:1291

orbital emphysema as complication of bungee jumping, 29:850

plasma catecholamine and lactate relationship during graded exercise in men with spinal cord injury, 29:451

predictive validity of an injury score among high school basketball players, 29:1279

theoretical model of influence of baseball modulus and mass on head and chest impacts, 29:26

**In-line skating**, impact shock and attenuation during, 29:1069

**Insulin**

ACSM position paper on diabetes mellitus and exercise, 29:(12)

effects of cross-training on markers of insulin resistance/hyperinsulinemia, 29:1170

**Intermittent claudication**, improved walking economy in patients with

peripheral arterial occlusive disease, 29:1286

**International abstracts**, 29:718, 29:1543

**Interval training**

model for optimizing cycling performance by varying power on hills and in wind, 29:1104

in patients with severe chronic heart failure, 29:306

swimmers' compliance with training prescription, 29:1389

**Intervertebral disc**

lifetime exercise and disk degeneration: MRI study of monozygotic twins, 29:1350

lumbar injuries in athletes, 29:S222

**Intestinal absorption**, of dilute glucose solution in men at rest, 29:482

**Isometrics**

eccentric exercise augments cardiovascular response to static exercise, 29:457

viscoelastic characteristics of muscle: passive stretching *versus* muscular contractions, 29:1619

**Isoproterenol**, accentuated antagonism in canine subendocardium is not altered by chronic exercise, 29:1013

## K

**Karate**, ballistic movement performance in athletes, 29:1366

**Kidney**, effects of long-term training on progression of chronic renal failure in rats, 29:169

**Kinematics**

reliability of variables in analysis of sprint hurdles, 29:383

sagittal plane translations of the knee in anterior cruciate deficient subjects and controls, 29:1561

**Kinetics**, electromyographic analysis of lower extremity muscle recruitment patterns during unloaded squat, 29:532

**Knee**

anterior cruciate ligament reconstruction and joint dynamics during stair climbing, 29:1406

assessment of metabolic response and functional changes after anterior cruciate ligament surgery, 29:3

compliance to exercise therapy in older participants with knee osteoarthritis, 29:977

gait adaptations before and after anterior cruciate ligament surgery, 29:853

jump distance of dance landings influencing internal joint forces

axial forces, 29:916

shear forces, 29:928

mechanical characteristics of knee extension exercises performed on an isokinetic dynamometer, 29:794

sagittal plane translations of the knee in anterior cruciate deficient subjects and controls, 29:1561

**Kuopio Ischemic Heart Disease Study 24-Hour Total Physical Activity Record**, 29:S53

**Kuopio Ischemic Heart Disease Study 12-Month Leisure-Time Physical Activity History**, 29:S50

**Kuopio Ischemic Heart Disease Study Occupational Physical Activity Interview**, 29:S56

**Kuopio Ischemic Heart Disease Study Seven-Day Physical Activity Recall**, 29:S47

## L

**Lactate**

blood lactate and perceived exertion relative to ventilatory threshold: boys *versus* men, 29:1332

challenging beliefs, 29:571

distribution in blood during progressive exercise, 29:654

double product response is accelerated about blood lactate threshold, 29:503

and effects of exercise on testosterone secretion: evidence for involvement of cyclic adenosine monophosphate-mediated mechanism, 29:1048

exercise responses after altitude acclimatization are retained during reintroduction to altitude, 29:1588

hemoglobin/myoglobin desaturation during speed skating, 29:248

lactate exchange and removal abilities in rowing performance, 29:396

maximal oxygen uptake: "classical" *versus* "contemporary" viewpoints, 29:591

meta-analysis of effect of training on lactate/ventilatory thresholds, 29:837

monitoring high-intensity endurance exercise with heart rate and thresholds, 29:125

plasma catecholamine and lactate relationship during graded exercise in men with spinal cord injury, 29:451

**Lactic acidosis**

effect of acute bicarbonate administration on exercise responses in chronic obstructive pulmonary disease, 29:725

effect of exercise intensity on lipid peroxidation, 29:1036

**Left ventricle of heart**

allometric scaling of left ventricular mass by body dimensions in males and females, 29:181

function during exercise testing and training, 29:297

function in response to transition from aerobic to anaerobic metabolism, 29:1040

highland mountain hiking and coronary heart disease: exercise tolerance and effects on left ventricular function, 29:1554

**Legg-Calvé-Perthes disease**, unilateral, altered loading patterns and femoral bone mineral density in children with, 29:1395

**Lifting**

anticipatory postural adjustments before load pickup in a bi-manual whole-body lifting task, 29:1208

anticipatory postural adjustments in the back and leg lift, 29:1216

**Ligaments**

anterior cruciate ligament reconstruction and joint dynamics during stair climbing, 29:1406

assessment of metabolic response and functional changes after anterior cruciate ligament surgery, 29:3

gait adaptations before and after anterior cruciate ligament surgery, 29:853  
sagittal plane translations of the knee in anterior cruciate deficient subjects and controls, 29:1561

#### Lipids

blood flow, lipid oxidation, and muscle glycogen synthesis after glycogen depletion by strenuous exercise, 29:874  
changes in maximal oxygen uptake, physical activity, and body fat with chronic exercise: effects on plasma lipids, 29:1152  
effect of exercise intensity on lipid peroxidation, 29:1036

Lipid Research Clinics Questionnaire, 29:559

lipids and lipoproteins in diet and exercise, 29:1414

physical fitness, lipids, and apolipoproteins in the Northern Ireland Health and Activity Survey, 29:1187  
poloxamer 407-induced hyperlipidemic atherogenic animal model, 29:1416

swine as model for studying exercise-induced changes in metabolism of, 29:1437

**Lipoproteins.** See also Cholesterol

acute effects of treadmill running on lipoprotein(a) levels in males and females, 29:436

Cardiovascular Risk in Young Finns Study, 29:1055

effect of high or low fat diet on cardiovascular risk factors in male and female runners, 29:17

effect of physical activity and diet on lipoprotein(a), 29:1429  
exercise training, postprandial hypertriglyceridemia and LDL subfraction distribution, 29:986

lipids and lipoproteins in diet and exercise, 29:1414

physical fitness, lipids, and apolipoproteins in the Northern Ireland Health and Activity Survey, 29:1187

regulation of plasma lipoprotein levels by dietary triglycerides enriched with different fatty acids, 29:1422

swine as model for studying exercise-induced changes in lipid metabolism, 29:1437

**Liver,** training enhanced hepatic gluconeogenesis, 29:628

#### Lower extremity

alignment and risk of overuse injuries in runners, 29:1291

altered loading patterns and femoral bone mineral density in children with unilateral Legg-Calvé-Perthes disease, 29:1395

electromyographic analysis of lower extremity muscle recruitment patterns during unloaded squat, 29:532

lower body negative pressure exercise or upright exercise to maintain exercise responses after bed rest, 29:892

#### Lumbar spine

low back loads over a variety of abdominal exercises, 29:804

operative and nonoperative care of disc injuries in athletes, 29:S222

**Lymphocytes.** See also Immune system

carbohydrate affects natural killer cell redistribution but not activity after running, 29:1318

dietary L-glutamine does not improve lymphocyte metabolism or function in exercise-trained rats, 29:474

effect of exercise and circadian rhythm on lymphocyte subpopulation expression in women, 29:467

influence of dietary lipid intake and maximal exercise on immune status in runners, 29:333

## M

**Magnesium,** compartmental shifts of calcium and, as result of swimming and swimming training in rats, 29:882

**Magnetic resonance imaging,** lifetime exercise and disk degeneration: MRI study of monozygotic twins, 29:1350

#### Massage

failure of manual massage to alter limb blood flow: measures by Doppler ultrasound, 29:610

rat tendon morphologic and functional changes resulting from soft tissue mobilization, 29:313

#### Menstrual cycle

ACSM position stand on the female athlete triad, 29(5):i

effects of estradiol on substrate turnover during exercise in amenorrheic females, 29:1160

exercise-induced changes in enzymatic O-methylation of catecholestrogens by erythrocytes of eumenorrheic women, 29:1580

female athlete triad (letter), 29:1669  
menstrual cycle phase and running economy, 29:1609

**Mental retardation,** cross validation of the 1-mile walking test for men with, 29:133

**Metabolic rate,** resting,  $\beta_1$ -adrenoreceptor regulation of, 29:769

#### Methods

assessing body composition before and after resistance or endurance training, 29:705

bioimpedance analysis: evaluation of leg-to-leg system based on pressure contact foot-pad electrodes, 29:524

bioimpedance spectroscopy technique, 29:1657

body composition by DEXA in older adults, 29:560

body composition by x-ray absorptiometry and bioelectrical impedance in female runners, 29:1527

comparison and cross-validation of cycle ergometry estimates of maximal oxygen uptake, 29:1513

comparison of free range and graded exercise testing, 29:1521

comparison of methods for evaluating exercise-induced changes in thromboxane  $B_2$  and  $\beta$ -thromboglobulin, 29:700

cross validation of the 1-mile walking test for men with mental retardation, 29:133

daily energy expenditure of women by factorial and heart rate methods, 29:1255

detection of ventilatory threshold using near infrared spectroscopy in men and women, 29:402

discontinuous versus continuous protocols applied to maximal oxygen consumption criteria, 29:273

heart rate reserve is equivalent to  $\%VO_{2\text{reserve}}$ , not to  $\%VO_{2\text{max}}$ , 29:410

inertial-load method determines maximal cycling power in single exercise bout, 29:1505

measuring energy costs of leisure activity in adolescents using a  $CO_2$  breath test, 29:1263

model for optimizing cycling performance by varying power on hills and in wind, 29:1104

new electrode system for rapid whole-body and segmental bioimpedance assessment, 29:1269

non-exercise maximal oxygen uptake estimation for physically active college students, 29:415

normalizing strength for body size differences in older adults, 29:713

prediction of peak oxygen consumption from submaximal cycle ergometry using 50 versus 80 rpm, 29:268

predictive accuracy of bioelectrical impedance analysis equations for estimating fat-free mass of black men, 29:969

ramp and constant power trials produce equivalent critical power estimates, 29:833

relationships between TriTrac-R3D vectors, heart rate, and self-report in obese children, 29:1535

reproducibility of ballistic movement, 29:1383

reproducibility of Bruce protocol exercise test for determination of aerobic capacity in older women, 29:1109

simultaneous monitoring of heart rate and motion to assess energy expenditure, 29:144

swimmers' compliance with training prescription, 29:1389

validation of instrument for measurement of physical activity in youth, 29:138

validity of bioelectrical impedance equations for estimating fat-free weight in high school female gymnasts, 29:962

#### Minnesota Leisure-Time Physical Activity Questionnaire, 29:S62

**Modifiable Activity Questionnaire, 29:S73**

**Modifiable Activity Questionnaire for Adolescents, 29:S79**

**Modified Baecke Questionnaire for Older Adults, 29:S117**

**MONICA Optional Study of Physical Activity, 29:S162**

**Motion analysis,** reliability of variables in kinematic analysis of sprint hurdles, 29:383

**Multiple sclerosis,** quantitation of lower physical activity in persons with, 29:517

#### Muscle

adaptations to training under normobaric hypoxic versus normoxic conditions, 29:238



altered expression of myosin heavy chain in human skeletal muscle in chronic heart failure, 29:860

blood flow, lipid oxidation, and muscle glycogen synthesis after glycogen depletion by strenuous exercise, 29:874

diaphragm structure and function in health and disease, 29:738

effect of oral creatine supplementation, 29:216

effect of timing of ingestion of high glycemic index food on glycogen storage after prolonged exercise, 29:220

effects of bed rest, 29:187, 29:197

attenuated by exercise training, 29:207

effects of creatine loading and training on running performance and biochemical properties of rat skeletal muscle, 29:489

electromyographic analysis of lower extremity muscle recruitment patterns during unloaded squat, 29:532

failure of manual massage to alter limb blood flow: measures by Doppler ultrasound, 29:610

greater cross education following training with muscle lengthening than shortening, 29:107

hemoglobin/myoglobin desaturation during speed skating, 29:248

influence of sports discipline on shoulder rotator cuff balance, 29:1400

interpreting relation between force and cross-sectional area in, 29:677

muscle activity in wedge, parallel, and giant slalom skiing, 29:548

muscle function and body composition of patients with hyperthyroidism, 29:175

muscular adaptation and strength during the early phase of eccentric training: influence of training frequency, 29:1646

myosin phenotype and bioenergetic characteristics of rat respiratory muscles, 29:1573

naturally occurring muscle pain during exercise, 29:999

new electrode system for rapid whole-body and segmental bioimpedance assessment, 29:1269

resistance exercise prevents plantar flexor deconditioning during bed rest, 29:1462

viscoelastic characteristics: passive stretching versus muscular contractions, 29:1619

**Muscle-specific creatine kinase gene polymorphisms**

in elite endurance athletes and sedentary controls, 29:1444

and maximal oxygen uptake in the HERITAGE Family Study, 29:1311

**Myocardial ischemia**, reduced ischemia and reperfusion injury after exercise training, 29:509

**Myosin**

altered expression of myosin heavy chain in human skeletal muscle in chronic heart failure, 29:860

muscular adaptation and strength during the early phase of eccentric training: influence of training frequency, 29:1646

myosin phenotype and bioenergetic characteristics of rat respiratory muscles, 29:1573

## N

**National Children and Youth Fitness Study I & II**, 29:S170

**National Health and Nutrition Examination Survey I, II, and III**, 29:S196

**National Health Interview Survey**, 29:S190

**Natural killer cells**, carbohydrate affects cell redistribution but not activity after running, 29:1318

**Near infrared interactance**, assessing body composition before and after resistance or endurance training, 29:705

**Near infrared spectroscopy**, to detect ventilatory threshold, 29:402

**Nedocromil sodium**, inhibition of histamine release and reduction of exercise-induced hypoxemia in athletes, 29:10

**Neurotransmitters**

brain monoamines, exercise, and behavioral stress in animal models, 29:63

dietary red pepper ingestion increases carbohydrate oxidation at rest and during exercise in runners, 29:355

effects of acute physical exercise on central serotonergic systems, 29:58

exercise effect on canine and miniswine cardiac catecholamines and enkephalins, 29:1338

mechanisms of central nervous system fatigue during exercise, 29:45

plasma catecholamine and lactate relationship during graded exercise in men with spinal cord injury, 29:451

simulated weightlessness to induce chronic hypoactivity of brain norepinephrine for exercise and stress studies, 29:39

**Nitric oxide synthase**, time course of enhanced endothelium-mediated dilation in aorta of trained rats, 29:1454

**Norepinephrine**

brain monoamines, exercise, and behavioral stress in animal models, 29:63

exercise effect on canine and miniswine cardiac catecholamines and enkephalins, 29:1338

exercise training decreases growth hormone response to acute constant-load exercise, 29:669

plasma catecholamine and lactate relationship during graded exercise in men with spinal cord injury, 29:451

simulated weightlessness to induce chronic hypoactivity of brain norepinephrine for exercise and stress studies, 29:39

**Northern Ireland Health and Activity Survey**, 29:1187

**Nutrition**. See Diet and nutrition

## O

**Obesity**

associations among physical activity, television watching, and, in adult Pima Indians, 29:910

effect of chromium and exercise training in obese women, 29:992

relationships between TriTrac-R3D vectors, heart rate, and self-report in obese children, 29:1535

**Older adults**. See also Age effects

aerobic capacity and cognitive performance in cross-sectional aging study, 29:1357

body composition by DEXA in, 29:560

compliance to exercise therapy in participants with knee osteoarthritis, 29:977

effect of endurance training on postexercise parathyroid hormone levels in elderly men, 29:1139

normalizing strength for body size differences in older adults, 29:713

physical activity questionnaires for

Modified Baecke Questionnaire for Older Adults, 29:S117

Physical Activity Scale for the Elderly, 29:S122

Yale Physical Activity Survey for Older Adults, 29:S130

Zutphen Physical Activity Questionnaire, 29:S141

reproducibility of Bruce protocol exercise test for determination of aerobic capacity in women, 29:1109

**Open heart surgery**, rehabilitation after redo revascularization and repaired sternotomy, 29:427

**Orbital emphysema**, as complication of bungee jumping, 29:850

**Osteoarthritis of knee**, compliance to exercise therapy in older participants with, 29:977

**Osteoporosis**

ACSM position stand on the female athlete triad, 29(5):i

female athlete triad (letter), 29:1669

**Overtraining**, training adaptation and biological changes among well-trained male triathletes, 29:1233

**Oxygen uptake**

cardiovascular responses to submaximal exercise in 7- to 9-yr-old boys and girls, 29:824

during cycle ergometry, nonlinearly related to work rate and pedal rate, 29:775

energy cost of stair climbing and descending on the college alumnus questionnaire, 29:1250

exercise mode and gender comparisons of, at self-selected intensities, 29:1028

improved walking economy in patients with peripheral arterial occlusive disease, 29:1286

model for optimizing cycling performance by varying power on hills and in wind, 29:1104

simultaneous monitoring of heart rate and motion to assess energy expenditure, 29:144

**Oxygen uptake, maximal**

absence of linkage between maximal oxygen uptake and its response to training with markers spanning chromosome 22, 29:1448

automated maximal oxygen uptake calibrator for open-circuit indirect calorimetry systems, 29:1095

cardiorespiratory response to exercise in elite Sherpa climbers transferred to sea level, 29:937

challenging beliefs, 29:571



changes in maximal oxygen uptake, physical activity, and body fat with chronic exercise: effects on plasma lipids, 29:1152

"classical" versus "contemporary" viewpoints, 29:591

comparison and cross-validation of cycle ergometry estimates of, 29:1513

comparison of free range and graded exercise testing, 29:1521

discontinuous versus continuous protocols for criteria, 29:273

effect of bed rest, 29:191

effect of cycling experience, aerobic power, and power output on preferred and most economical cycling cadences, 29:1225

effect of training on repeatability of cardiopulmonary exercise performance in normal men and women, 29:1499

effect of 4 wk of deep water run training on running performance, 29:694

gas exchange and neurohumoral response to exercise: influence of exercise protocol, 29:496

heart rate reserve is equivalent to  $\%VO_{2\text{reserve}}$ , not to  $\%VO_{2\text{max}}$ , 29:410

lactate exchange and removal abilities in rowing performance, 29:396

metabolic determinants of age-related improvement in one-mile run/walk performance in youth, 29:259

metabolic profile of high intensity intermittent exercises, 29:390, 29:1274 (letter)

muscle-specific creatine kinase gene polymorphism and maximal oxygen uptake in the HERITAGE Family Study, 29:1311

non-exercise, estimation for physically active college students, 29:415

relationship between aerobic power, blood volume, and thermoregulatory responses to exercise-heat stress, 29:867

responses to exercise at velocity associated with, 29:113

**Oxygen uptake, peak**

body mass scaling of, in 20- to 79-yr-old adults, 29:1602

impact of age and gender on, in chronic heart failure, 29:733

prediction from submaximal cycle ergometry using 50 versus 80 rpm, 29:268

## P

**Paffenbarger Physical Activity Questionnaire**, 29:S83

**Pain**, naturally occurring muscle pain during exercise, 29:999

**Parathyroid hormone**, effect of endurance training on postexercise parathyroid hormone levels in elderly men, 29:1139

**Peripheral arterial occlusive disease**, improved walking economy in patients with, 29:1286

**Physical activity**. See also Exercise assessment, 29:S5

associations among television watching, obesity, and, in adult Pima Indians, 29:910

changes in maximal oxygen uptake, physical activity, and body fat with chronic exercise: effects on plasma lipids, 29:1152

fat distribution, physical activity, and cardiovascular risk factors, 29:362

and incidence of coronary heart disease in middle-aged women and men, 29:901

intensity, duration, and frequency of physical activity and coronary risk factors, 29:1192

moderate and intense, twin study of familial determinants of, 29:1062

physiological effects of bed rest and restricted activity, 29:187

quantitation of lower physical activity in persons with multiple sclerosis, 29:517

relationship between leisure-time physical activity and selected dietary variables in the Worcester Area Trial for Counseling in Hyperlipidemia, 29:1199

validation of instrument for measurement in youth, 29:138

**Physical activity questionnaires**, 29:S5

Aerobics Center Longitudinal Study Physical Activity Questionnaire, 29:S10

Baecke Questionnaire of Habitual Physical Activity, 29:S15

Bouchard Three-Day Physical Activity Record, 29:S19

CARDIA Physical Activity History, 29:S25

Framingham Physical Activity Index, 29:S33

Godin Leisure-Time Exercise Questionnaire, 29:S36

Health Insurance Plan of New York Activity Questionnaire, 29:S39

Historical Leisure Activity Questionnaire, 29:S43

Kuopio Ischemic Heart Disease Study 24-Hour Total Physical Activity Record, 29:S53

Kuopio Ischemic Heart Disease Study 12-Month Leisure-Time Physical Activity History, 29:S50

Kuopio Ischemic Heart Disease Study Occupational Physical Activity Interview, 29:S56

Kuopio Ischemic Heart Disease Study Seven-Day Physical Activity Recall, 29:S47

Lipid Research Clinics Questionnaire, 29:S59

measuring general levels of physical activity: preliminary evidence for the Physical Activity Questionnaire for Older Children, 29:1344

Minnesota Leisure-Time Physical Activity Questionnaire, 29:S62

Modifiable Activity Questionnaire, 29:S73

Modifiable Activity Questionnaire for Adolescents, 29:S79

for older adults

Modified Baecke Questionnaire for Older Adults, 29:S117

Physical Activity Scale for the Elderly, 29:S122

Yale Physical Activity Survey for Older Adults, 29:S130

Zutphen Physical Activity

Questionnaire, 29:S141

Paffenbarger Physical Activity

Questionnaire, 29:S83

physical fitness, lipids, and

apolipoproteins in the Northern Ireland

Health and Activity Survey, 29:1187

Seven-Day Physical Activity Recall, 29:S89

Stanford Usual Activity Questionnaire, 29:S104

Tecumseh Occupational Physical Activity Questionnaire, 29:S107

used in major population-based surveys

Behavioral Risk Factor Surveillance System, 29:S146

Canada Fitness Survey, 29:S153

MONICA Optional Study of Physical Activity, 29:S162

National Children and Youth Fitness Study I & II, 29:S170

National Health and Nutrition

Examination Survey I, II, and III, 29:S196

National Health Interview Survey, 29:S190

Youth Risk Behavior Survey, 29:S201

**Physical Activity Scale for the Elderly**, 29:S122

**Physical fitness and performance**

acute effects of ski waxing on

pulmonary function, 29:1379

automated maximal oxygen uptake

calibrator for open-circuit indirect

calorimetry systems, 29:1095

cardiorespiratory response to exercise in

elite Sherpa climbers transferred to sea

level, 29:937

cardiovascular responses to submaximal

exercise in 7- to 9-yr-old boys and girls,

29:824

could women outrun men in

ultramarathon races?, 29:244

effect of training on repeatability of

cardiopulmonary exercise performance in

normal men and women, 29:1499

effect of 4 wk of deep water run training

on running performance, 29:694

effects of ambient temperature on the

capacity to perform prolonged cycle

exercise in man, 29:1240

energy cost of stair climbing and

descending on the college alumnus

questionnaire, 29:1250

energy expenditure of noncontact

boxing training session compared with

submaximal treadmill running, 29:1653

energy expenditure of swimmers during

high volume training, 29:950

hormonal, immunological, and

hematological responses to intensified

training in elite swimmers, 29:1637

improved running performance in hot

humid conditions following whole body

precooling, 29:943

influence of a  $\beta_2$ -agonist on physical

performance at low temperature in elite

athletes, 29:1631

influence of different racing positions on

metabolic cost in elite cyclists, 29:818

lactate exchange and removal abilities in

rowing performance, 29:396

metabolic determinants of age-related

improvement in one-mile run/walk

performance in youth, 29:259

metabolic profile of high intensity

intermittent exercises, 29:390, 29:1274

(letter)

monitoring high-intensity endurance

exercise with heart rate and thresholds,

29:125

muscular adaptation and strength during

the early phase of eccentric training:

influence of training frequency, 29:1646

physical fitness as determinant of vagal modulation, 29:812

physiological profiles of elite off-road and road cyclists, 29:1090

pre-exercise branched-chain amino acid administration increases endurance performance in rats, 29:1182

reliability of a 1-h endurance performance test in trained female cyclists, 29:554

skeletal muscle adaptations to training under normobaric hypoxic versus normoxic conditions, 29:238

training adaptation and biological changes among well-trained male triathletes, 29:1233

water running with and without a flotation vest in competitive and recreational runners, 29:1374

wet bulb globe temperature index and performance in competitive distance runners, 29:955

**Physical training**

absence of linkage between maximal oxygen uptake and its response to training with markers spanning chromosome 22, 29:1448

during bed rest to attenuate deconditioning, 29:207

and chromium supplementation, effect on obese women, 29:992

effect of 4 wk of deep water run training on running performance, 29:694

effect on ammonia and amino acid metabolism, 29:646

effect on fatty acid metabolism

local adaptations, 29:640

during whole body exercise, 29:635

effects of creatine loading and training on running performance and biochemical properties of rat skeletal muscle, 29:489

effects of cross-training on markers of insulin resistance/hyperinsulinemia, 29:1170

effects on progression of chronic renal failure in rats, 29:169

*in vivo* cell-mediated immunity and vaccination response following prolonged, intense exercise, 29:1176

interval training in patients with severe chronic heart failure, 29:306

left ventricular function during exercise testing and training, 29:297

meta-analysis of effect on lactate/ventilatory thresholds, 29:837

plasma glucose metabolism during exercise: effect of endurance training, 29:620

postprandial hypertriglyceridemia, LDL subfraction distribution and, 29:986

reduced ischemia and reperfusion injury after, 29:509

relationship between training frequency and subcutaneous and visceral fat in women, 29:1549

spectral analysis of autonomic differences between athletes and nonathletes, 29:1482

swimmers' compliance with training prescription, 29:1389

time course of enhanced endothelium-mediated dilation in aorta of trained rats, 29:1454

training decreases growth hormone response to acute constant-load exercise, 29:669

training enhanced hepatic gluconeogenesis, 29:628

upright exercise or supine lower body negative pressure exercise maintains exercise responses after bed rest, 29:892

**Pima Indians**, associations among physical activity, television watching, and obesity in adults, 29:910

**Plantar flexors**, resistance exercise prevents deconditioning during bed rest, 29:1462

**Platelets**, comparison of methods for evaluating exercise-induced changes in thromboxane  $B_2$  and  $\beta$ -thromboglobulin, 29:700

**Polymerase chain reaction**

muscle-specific creatine kinase gene polymorphism and maximal oxygen uptake in the HERITAGE Family Study, 29:1311

muscle-specific creatine kinase gene polymorphisms in elite endurance athletes and sedentary controls, 29:1444

**Postural control**

anticipatory postural adjustments before load pickup in a bi-manual whole-body lifting task, 29:1208

anticipatory postural adjustments in the back and leg lift, 29:1216

**Power**

effect of creatine supplementation on muscle and short-term maximum power output, 29:216

effect of cycling experience, aerobic power, and power output on preferred and most economical cycling cadences, 29:1225

inertial-load method determines maximal cycling power in single exercise bout, 29:1505

model for optimizing cycling performance by varying power on hills and in wind, 29:1104

ramp and constant power trials produce equivalent critical power estimates, 29:833

Wingate test performance in children with asthma, 29:430

**Prematurely born children**, birth weight and physical ability in 5- to 8-yr-old healthy children, 29:1124

**Propranolol**, regulation of resting metabolic rate, 29:769

**Psychobiology**

effects of exercise on appetite control, 29:1076

effects of oral and intravenous rehydration on ratings of perceived exertion and thirst, 29:117

effects of training volume on sleep, psychological, and selected physiological profiles of elite female swimmers, 29:688

exercise, brain, and behavior, 29:37

**Pulmonary function tests**

acute effects of ski waxing on pulmonary function, 29:1379

effect of acute bicarbonate administration on exercise responses in chronic obstructive pulmonary disease, 29:725

effect of rhinovirus-caused upper respiratory illness on exercise responses and, 29:604

## R

**Radionuclide angiography**, left ventricular function in response to transition from aerobic to anaerobic metabolism, 29:1040

**Ratings of perceived exertion**

blood lactate and, relative to ventilatory threshold: boys versus men, 29:1332

effects of oral and intravenous rehydration on thirst and, 29:117

exercise mode and gender comparisons of energy expenditure at self-selected intensities, 29:1028

and naturally occurring muscle pain during exercise, 29:999

**Rehabilitation**

after redo revascularization and repaired sternotomy, 29:427

assessment of metabolic response and functional changes after anterior cruciate ligament surgery, 29:3

gait adaptations before and after anterior cruciate ligament surgery, 29:853

**Rehydration**

effects of oral and intravenous rehydration on ratings of perceived exertion and thirst, 29:117

upper limit for intestinal absorption of dilute glucose solution in men at rest, 29:482

water budget during ultra-endurance exercise, 29:1477

**Renal failure**, effects of long-term training on disease progression in rats, 29:169

**Reperfusion injury**, reduced ischemia and, after exercise training, 29:509

**Resistance training**

assessing body composition before and after endurance training or, 29:705

effects of cross-training on markers of insulin resistance/hyperinsulinemia, 29:1170

to prevent plantar flexor deconditioning during bed rest, 29:1462

**Respiration**. See Ventilation

**Respiratory disease**

effect of acute bicarbonate administration on exercise responses in chronic obstructive pulmonary disease, 29:725

effect of rhinovirus-caused upper respiratory illness on pulmonary function test and exercise responses, 29:604

impact on diaphragm structure and function, 29:738

**Rotator cuff**, influence of sports discipline on shoulder rotator cuff balance, 29:1400

**Rowing**

injuries to elite rowers over a 10-yr period, 29:1567

lactate exchange and removal abilities in rowing performance, 29:396

**Running**

acute effects of treadmill running on lipoprotein(a) levels in males and females, 29:436

body composition by x-ray absorptiometry and bioelectrical impedance in female runners, 29:1527

carbohydrate affects natural killer cell redistribution but not activity after, 29:1318

could women outrun men in ultramarathon races?, 29:244

3-D biomechanical analysis of sprint hurdles at different competitive levels, 29:231

dietary red pepper ingestion increases carbohydrate oxidation at rest and during exercise in, 29:355

effect of high or low fat diet on cardiovascular risk factors in male and female runners, 29:17

effect of 4 wk of deep water run training on running performance, 29:694

effects of creatine loading and training on running performance and biochemical properties of rat skeletal muscle, 29:489

energy expenditure of noncontact boxing training session compared with submaximal treadmill running, 29:1653

improved running performance in hot humid conditions following whole body precooling, 29:943

influence of dietary lipid intake and maximal exercise on immune status in runners, 29:333

lower extremity alignment and risk of overuse injuries in runners, 29:1291

menstrual cycle phase and running economy, 29:1609

metabolic and biomechanical variables of two incline conditions during distance running, 29:1625

metabolic determinants of age-related improvement in one-mile run/walk performance in youth, 29:259

prediction of human gait parameters from temporal measures of foot-ground contact, 29:540

reliability of variables in kinematic analysis of sprint hurdles, 29:383

responses to exercise at velocity associated with maximal oxygen consumption, 29:113

training adaptation and biological changes among well-trained male triathletes, 29:1233

water running with and without a flotation vest in competitive and recreational runners, 29:1374

wet bulb globe temperature index and performance in competitive distance runners, 29:955

## S

**Sciatica**, lumbar injuries in athletes, 29:S222

**Scientific method**, 29:571

### Serotonin

brain monoamines, exercise, and behavioral stress in animal models, 29:63

effects of acute physical exercise on central serotonergic systems, 29:58

mechanisms of central nervous system fatigue during exercise, 29:45

**Seven-Day Physical Activity Recall**, 29:S89

**Skeletal muscle**. See Muscle

### Skiing

acute effects of ski waxing on

pulmonary function, 29:1379

muscle activity in wedge, parallel, and giant slalom skiing, 29:548

**Sleep**, effects of training volume on sleep, psychological, and selected physiological profiles of elite female swimmers, 29:688

**Small intestine**, upper limit of intestinal absorption of dilute glucose solution in men at rest, 29:482

**Soft tissue mobilization**, rat tendon morphologic and functional changes resulting from, 29:313

### Space flight

resistance exercise prevents plantar flexor deconditioning during bed rest, 29:1462

upright exercise or supine lower body negative pressure exercise maintains exercise responses after bed rest, 29:892

### Speed skating

hemoglobin/myoglobin desaturation during, 29:248

technique for straights, based on optimization of simulation model, 29:279

### Spinal injury

biomechanics of cervical spine injury and implications for injury prevention, 29:S246

diagnosis and treatment of cervical radiculopathy, 29:S236

lifetime exercise and disk degeneration: MRI study of monozygotic twins, 29:1350

management guidelines for participation in collision activities with congenital, developmental, or postinjury cervical spine lesions, 29:S256

operative and nonoperative care of disc injuries in athletes, 29:S222

plasma catecholamine and lactate relationship during graded exercise in men with spinal cord injury, 29:451

stingers, transient quadriplegia, and cervical spinal stenosis: return to play criteria for athletes, 29:S233

### Sports participation

physical activity and risk factors in adolescents, 29:788

prospective screening of 5,615 high school athletes for risk of sudden cardiac death, 29:1131

### Stair climbing

anterior cruciate ligament reconstruction and joint dynamics during, 29:1406

energy cost of stair climbing and descending on the college alumnus questionnaire, 29:1250

**Stanford Usual Activity Questionnaire**, 29:S104

### Statistics. See also Methods

allometric scaling of left ventricular mass by body dimensions in males and females, 29:181

body mass scaling of peak oxygen uptake in 20- to 79-yr-old adults, 29:1602

meta-analysis of effect of training on lactate/ventilatory thresholds, 29:837

normalizing strength for body size differences in older adults, 29:713

**Stature**, prediction of adult stature and noninvasive assessment of biological maturation, 29:225

**Sternotomy**, repaired, rehabilitation after redo revascularization and, 29:427

### Strength

normalizing for body size differences in older adults, 29:713

resistance exercise prevents plantar flexor deconditioning during bed rest, 29:1462

### Strength training

assessment of metabolic response and functional changes after anterior cruciate ligament surgery, 29:3

greater cross education following training with muscle lengthening than shortening, 29:107

muscular adaptation and strength during the early phase of eccentric training: influence of training frequency, 29:1646

### Swimming

compartmental shifts of calcium and magnesium as result of swimming and swimming training in rats, 29:882

effects of training volume on sleep, psychological, and selected physiological profiles of elite female swimmers, 29:688

energy expenditure of swimmers during high volume training, 29:950

hormonal, immunological, and hematological responses to intensified training in elite swimmers, 29:1637

swimmers' compliance with training prescription, 29:1389

technique and energy losses in front crawl, 29:1491

## T

**Tecumseh Occupational Physical Activity Questionnaire**, 29:S107

### Television viewing

associations among physical activity, obesity, and, in adult Pima Indians, 29:910

measuring energy costs of leisure activity in adolescents using a CO<sub>2</sub> breath test, 29:1263

### Tendons

effect of ultrasound on collagen synthesis and fibroblast proliferation *in vivo*, 29:326

rat tendon morphologic and functional changes resulting from soft tissue mobilization, 29:313

**Terbutaline**, influence on physical performance at low temperature in elite athletes, 29:1631

### Testosterone

exposure shortens life span of male mice, 29:615

lactate and effects of exercise on secretion of, 29:1048

**Theory of geometric similarity**, body mass scaling of peak oxygen uptake in 20- to 79-yr-old adults, 29:1602

**Thermoregulation**. See also Cold effects; Heat effects

cycling with and without a helmet, 29:755

effects of ambient temperature on the capacity to perform prolonged cycle exercise in man, 29:1240

improved running performance in hot humid conditions following whole body precooling, 29:943

relationship between aerobic power, blood volume, and thermoregulatory responses to exercise-heat stress, 29:867

**$\beta$ -Thromboglobulin**, comparison of methods for evaluating exercise-induced changes in thromboxane B<sub>2</sub> and, 29:700

**Thromboxane B<sub>2</sub>**, comparison of methods for evaluating exercise-induced changes in  $\beta$ -thromboglobulin and, 29:700

**Training**. See Physical training

**Triathlon**

training adaptation and biological changes among well-trained male triathletes, 29:1233

water budget during ultra-endurance exercise, 29:1477

**Triglycerides**, exercise training, postprandial hypertriglyceridemia and LDL subfraction distribution, 29:986

**Tryptophan**, effects of acute physical exercise on central serotonergic systems, 29:58

**Twin studies**

of familial determinants of moderate and intense physical activity, 29:1062

lifetime exercise and disk degeneration: MRI study of monozygotic twins, 29:1350

**U****Ultrasound**

effect on collagen synthesis and fibroblast proliferation *in vivo*, 29:326

failure of manual massage to alter limb blood flow: measures by Doppler ultrasound, 29:610

**Uric acid**, training adaptation and biological changes among well-trained male triathletes, 29:1233

**V**

**Vaccines**, *in vivo* cell-mediated immunity and vaccination response following prolonged, intense exercise, 29:1176

**Vagal modulation**, physical fitness as determinant of, 29:812

**Ventilation**. See also Respiratory disease  
acute effects of ski waxing on pulmonary function, 29:1379

blood lactate and perceived exertion relative to ventilatory threshold: boys versus men, 29:1332

comparison of free range and graded exercise testing, 29:1521

detection of ventilatory threshold using near infrared spectroscopy in men and women, 29:402

diaphragm structure and function in health and disease, 29:738

effect of acute bicarbonate administration on exercise responses in chronic obstructive pulmonary disease, 29:725

effect of rhinovirus-caused upper respiratory illness on pulmonary function test and exercise responses, 29:604

exercise responses after altitude acclimatization are retained during reintroduction to altitude, 29:1588

gas exchange and neurohumoral response to exercise, 29:496

meta-analysis of effect of training on lactate/ventilatory thresholds, 29:837  
myosin phenotype and bioenergetic characteristics of rat respiratory muscles, 29:1573

spectral analysis of autonomic differences between athletes and nonathletes, 29:1482

**Video analysis**, assessment of mechanical properties of area-elastic sport surfaces with, 29:1664

**Viruses**

computer viruses (editorial), 29:289

effect of rhinovirus-caused upper respiratory illness on pulmonary function test and exercise responses, 29:604

**W****Walking**. See also Gait

cross validation of the 1-mile walking test for men with mental retardation, 29:133

gait adaptations before and after anterior cruciate ligament surgery, 29:853  
highland mountain hiking and coronary artery disease, 29:1554

improved walking economy in patients with peripheral arterial occlusive disease, 29:1286

optimization in children, 29:370  
prediction of human gait parameters from temporal measures of foot-ground contact, 29:540

**Water, body**, bioimpedance spectroscopy technique, 29:1657

**Water running**, with and without a flotation vest in competitive and recreational runners, 29:1374

**Weightlessness, simulated**

arterial morphology and blood volumes of rats following 10–14 weeks of tail suspension, 29:1304

to induce chronic hypoactivity of brain norepinephrine for exercise and stress studies, 29:39

**Wingate test**

birth weight and physical ability in 5- to 8-yr-old healthy children born prematurely, 29:1124

in children with asthma, 29:430  
effect of creatine supplementation on muscle and short-term maximum power output, 29:216

**Women**. See also Gender differences

ACSM position stand on female athlete triad, 29:51

acute effects of treadmill running on lipoprotein(a) levels, 29:436

body composition by x-ray absorptiometry and bioelectrical impedance in female runners, 29:1527  
daily energy expenditure by factorial and heart rate methods, 29:1255

effect of exercise and circadian rhythm on lymphocyte subpopulation expression, 29:467

effect of exercise on milk immunoglobulin A, 29:1596

effects of estradiol on substrate turnover during exercise in amenorrheic females, 29:1160

effects of training volume on sleep, psychological, and selected physiological profiles of elite female swimmers, 29:688  
exercise and bone mineral density in female athletes, 29:291

exercise-induced changes in enzymatic O-methylation of catecholestrogens by erythrocytes of eumenorrheic women, 29:1580

family size and age at menarche in athletes, 29:99

female athlete triad (letter), 29:1669  
gymnastic training and bone density in preadolescent females, 29:443

menstrual cycle phase and running economy, 29:1609

obese, effect of chromium and exercise training on, 29:992

predictive accuracy of bioimpedance in estimating fat-free mass of African-American women, 29:781

relationship between training frequency and subcutaneous and visceral fat in, 29:1549

reliability of a 1-h endurance performance test in trained female cyclists, 29:554

reproducibility of Bruce protocol exercise test for determination of aerobic capacity in older women, 29:1109

validity of bioelectrical impedance equations for estimating fat-free weight in high school females, 29:962

**Worcester Area Trial for Counseling in Hyperlipidemia**, 29:1199

**Y**

**Yale Physical Activity Survey for Older Adults**, 29:S130

**Youth Risk Behavior Survey**, 29:S201

**Z**

**Zutphen Physical Activity Questionnaire**, 29:S141